
URBAN RESEARCH AND DEVELOPMENT CORP BETHLEHEM PA F/G 13/2 RECREATION CARRYING CAPACITY FACTS AND CONSIDERATIONS. REPORT 3-ETC(U) JUL 80 DACW39-78-G-0096 AD-A089 630 WES-MP-R-80-1-3 NL UNCLASSIFIED





RECREATION CARRYING CAPACITY FACTS AND CONSIDERATIONS

ASR! HARTI

ASS7572 Report 3

HARTWELL LAKE PROJECT AREA


by

Urban Research and Development Corporation
528 North New Street
Bethlehem, Pa. 18018









FIE

3

Prepared for

Office, Chief of Engineers, U. S. Army Washington, D. C. 20314

Under

Contract No. DACW39-78-C-0096

Monitored by

Environmental Laboratory
U. S. Army Engineer Waterways Experiment Station
P. O. Box 631, Vicksburg, Miss. 30180

*Original contains color plates: All DTIC reproducte ions will be in black and



80 9 29 135

RECREATION CARRYING CAPACITY FACTS AND CONSUMBLE OF

Title

Report	1:	Barkley Lack and Daw, Links Balkley Project Ares
	- 1	Benbrook Lake Project Area
		Hartwell Lake Project Area
Report	4:	Lake Quachita Project Area
Report	5:	Lake Shelbyville Project Area
Report	6:	McNary Lock and Dam, Lake Wallula Project Area
Report	7:	Milford Lake Project Area
Report	8:	New Hogan Lake Project Area
		Shenango River Lake Project Area
-		Somerville Lake Project Area
Report	11:	Surry Mountain Lake Project Area

Acknowledgements

We gratefully acknowledge the enthusiasm and excellent cooperation of the respectamanagers, rangers, and other Corps personnel at Hartwell Lake and the representatives from the Savannah District Office. Their contributions of practical experience and knowledge, along with their assistance in arranging schedules, have made this carrying capacity research effort possible.

Destroy this report when no longer needed. Do not return it to the originator.

The findings in this report are not to be condition at all afficient.

Department of the Army position unless as designated by other authorized descents.

Unclassified

BECURITY CLASSIFICATION OF THIS PAGE (When Date Enter

(18)	WES	4	P) MP-	R-84-1-	
		_	1		_

REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
Miscellaneous Paper 80-1 AD-A09	2. RECIPIENT'S CATALOG NUMBER
RECREATION CARRYING CAPACITY FACTS AND CONSIDERATIONS Report 3 HARTWELL LAKE PROJECT AREA	s. Type of REPORT & PERIOD COVERED Report 3 of a series 6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(e)	
	Contract or Grant number(*) Contract No. DACW39-78-C-0096
9. PERFORMING ORGANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
Urban Research and Development Corporation 528 North New Street Bethlehem, Pa. 18018	Recreation Research Program
Office, Chief of Engineers, U. S. Army	Jula 1989
Washington, D. C. 20314	13. HUMBER OF PACES
14. MONITORING AGENCY NAME & ADDRESS(II different from Controlling Office) U. S. Army Engineer Waterways Experiment Station Environmental Laboratory	105 15. SECURITY CLASS. (of this report) Unclassified
P. O. Box 631, Vicksburg, Miss. 39180	15a. DECLASSIFICATION/DOWNGRADING
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimite	211
	DTIC
Approved for public release; distribution unlimite	DTIC
Approved for public release; distribution unlimited. 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, it different in the supplementary notes.	Selection Report)
Approved for public release; distribution unlimited and the second section of the electric entered in Block 20, it different in	Selection Report)
Approved for public release; distribution unlimited. 17. DISTRIBUTION STATEMENT (of the abetract entered in Block 20, it different in the supplementary notes. 18. Supplementary notes. A project map of Hartwell Lake is enclosed in an e	nvelope attached
Approved for public release; distribution unlimited. 17. DISTRIBUTION STATEMENT (of the abetract entered in Block 20, it different to the supplementary notes. A project map of Hartwell Lake is enclosed in an einside the back cover of this report.	nvelope attached Utilization

DD 1700 1473 EDITION OF 1 NOV 65 IS OBSOLETE

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Date Enter

422947 set

PREFACE

This report presents the findings and recommendations of the Urban Research and Development Corporation (URDC) relative to recreational carrying capacity at the Hartwell Lake Project Area. Results of site analyses and user surveys are presented as they relate to existing carrying capacity conditions on the project. The study was conducted under Contract with the U. S. Army Engineer Waterways Experiment Station (WES), Vicksburg, Mississippi, (Contract No. DACW39-78-C-0096).

Mr. Donald R. Detwiler, President of URDC, was Principal-In-Charge of this study, assisted by Mr. Martin C. Gilchrist, Executive Vice-President and Mr. David H. Humphrey, Vice-President. Mr. B. Thomas Palmer, Project Director, had the major responsibility for technical project direction; Messrs. Phillip D. Hunsberger and Paul L. Sabrosky were involved in the site analysis, conducting surveys, and the success analysis; and Mr. Timothy A. Fluck was involved in conducting surveys, survey analysis, and development of methodologies.

Mr. R. Scott Jackson, WES was the Project Monitor. Dr. Adolph Anderson, WES, was Program Manager of the Environmental Laboratory (EL) Recreation Research Program. The study was supervised by Dr. Conrad J. Kirby, Chief, Environmental Resources Division, EL, under the general supervision of Dr. John Harrison, Chief, EL.

COL John L. Cannon, CE, and COL Nelson P. Conover, CE, were Commanders and Directors of WES during this study. Technical Director was Mr. F. R. Brown.

Acces	sion Fo	r	
NTIS DTIC	GRA&I		
By	1 -	ity Contains	odes

CONTENTS

							PAGE
PREFACE		•		•	•	•	. i
CONVERSION FACTORS, U. S. CUSTOMARY TO METRIC (SI)	UNITS	OF					
MEASUREMENT							. iv
PART 1: INTRODUCTION		•		•		•	. 1
This Report							. 3
Purpose							. 3
Relationship to Technical Report and Handboo Qualifications	ok			•		•	. 4
Summary Project Area Description	• • •	•	• •	•	•	•	. ,
PART 2: SURVEY FINDINGS BY ACTIVITY		•		•	•	•	. 7
Boating and Waterskiing					•	•	. 9
Orientation							. 9
User characteristics							
User opinions							. 11
Spacing preferences							. 11
Reasons for pleasant/unpleasant experience							
Acceptability of techniques							
Boat Fishing							
Orientation							
User characteristics							
User opinions							
Spacing preferences							
Reasons for pleasant/unpleasant experience							
Acceptability of techniques							
Boat Launching							
Orientation							
User characteristics							
User opinions							
Launch time preferences							
Reasons for pleasant/unpleasant experience							
Acceptability of techniques		•		•	•	•	. 30
Camping							. 33
Orientation				_			. 33
User characteristics							
User opinions							
Spacing preferences							
Reasons for pleasant/unpleasant experience							
Acceptability of techniques							
Picnicking							• • • •
· ·							-
Orientation							
User characteristics							
User opinions		•		•		•	
Spacing profesonos							40

Reasons for pleasant/unpleasant experience									50
Acceptability of techniques	 •	•	•	•		•	•	•	56
Shoreline Fishing	 •	•	•	•	•			•	59
Orientation									59
User characteristics	 •	•	•	•					60
User opinions	 •	•		•		•	•	•	61
Spacing preferences	 •		•	•	•	•			61
Reasons for pleasant/unpleasant experience	 •	•	•			•		•	62
Acceptability of techniques	 ٠	•	•	•	•	•	•	•	66
Sumbathing/Swimming		•	•	•		•	•	•	69
Orientation		•					•		69
User characteristics	 •	•		•		•	•	•	70
User opinions	 •	•	•	•		•	•	•	71
Spacing preferences									71
Reasons for pleasant/unpleasant experience	 ٠						•		72
Acceptability of techniques	 •	•	•	•	•	•	•	•	78
PART 3: ANALYSIS OF SELECTED PROBLEMS/SITUATIONS.				•	•	•	•	•	81
APPENDICES	 •		•		•	•	•		87
Appendix A: Key Terms							•		A1
Appendix B: Example Survey Forms									B 1
Appendix C: Project Area Description									C1
ADDERGIA G. FIGUECE AREA DESCRIPTION	 •		•	•	•	•	•	•	OT.

CONVERSION FACTORS, U. S. CUSTOMARY TO METRIC (SI) UNITS OF MEASUREMENT

U. S. customary units of measurement used in this report can be converted to metric (SI) units as follows:

Multiply	Ву	To Obtain
acres	4046.856	square metres
Fahrenheit degrees	5/9	Celsuis degrees or Kelvins
feet	0.3048	metres
horsepower (550 foot and pounds per second)	745.6999	watts
inches	2.54	centimetres
miles per hour (U. S. statute)	1.609344	kilometres per hour
miles (U. S. statute)	1.609344	kilometres
square feet	0.09290304	square metres
yards	0.9144	metres

^{*} To obtain Celsius (C) temperature readings from Fahrenheit (F) readings, use the following formula: C = (5/9) (F - 32). To obtain Kelvin (K) readings, use K = (5/9) (F - 32) + 273.15.

RECREATION CARRYING CAPACITY FACTS AND CONSIDERATIONS

HARTWELL LAKE PROJECT AREA

PART 1: INTRODUCTION

This Report

Purpose

This report, prepared as the third in a series of the U. S. Army Engineer Waterways Experiment Station's (WES) Recreational Carrying Capacity Design and Management Study reports, provides selected carrying capacity-related information for the Hartwell Lake Project Area which cannot be found in the Technical Report. The information is based upon:

1) the user and management surveys conducted at Hartwell Lake, and 2)

Urban Research and Development Corporation's (URDC) observations and perceptions of the situations at the project's study activity areas.

Some observations and suggestions dealing with project area planning, design, and/or management are included, even though they are not specifically carrying capacity related. The report also suggests specific solutions and treatments of specific recreation activity areas.

The report first provides information regarding activity situations, user characteristics, carrying capacity findings, and other findings; it then focuses on selected problem situations and their possible solutions. Although suggestions regarding possible solutions to problems are included, this report is not intended to be a substitute for master planning or to provide answers to all project area capacity problems. Instead, this report should be viewed as a constructive, informative document which points out directions and techniques for consideration by project managers and designers in the near or distant future.

PRECEDING FACE BLANK-102 TELE

Relationship to Technical Report and Handbook

In addition to this Project Area Report and similar reports on the other ten study project areas,* the overall capacity study effort produced a Technical Report and a Capacity Handbook:

- a. The <u>Technical Report</u> describes the overall study process, reports detailed study findings, and suggests and demonstrates methods and techniques for capacity management.
- <u>b</u>. The <u>Capacity Handbook</u> is a more graphic, "how-to-do-it" type of report, designed to serve as a useful field tool for determining carrying capacity and applying techniques for capacity design and management.

This project area report is different from the Technical Report and Handbook in several ways: it includes information not found in the Technical Report and Capacity Handbook; it reports and examines user survey information by activity area and project area, rather than from the total survey population; it addresses specific problems and examines possible solutions; and it does not include the methodologies for determining and monitoring social and resource capacity. For these reasons, this report is intended to compliment the Technical Report and the Handbook, and is not intended to substitute for them.

Qualifications

The information in this report is based on the Management/Site Survey conducted on November 19-21, 1978 and the User Survey conducted on June 22-25, 1979 by Urban Research and Development Corporation (see Appendix B). The user survey information was collected over a one-weekend period, which may or may not have been representative of a typical or heavy use weekend at Hartwell Lake. Interviews were limited at some activity areas because of such factors as lack of users and weather conditions. For these reasons and because carrying capacity analysis is dynamic rather than static, this report is not intended to provide the final answers. Rather, it is a foundation for future analysis and carrying capacity progress.

^{*} See definition of "Study Project Area" in Appendix A for a listing of these project areas.

Summary Project Area Description*

Hartwell Lake** was authorized for the purposes of flood control and hydroelectric power generation. Located about midway between Charlotte, South Carolina and Atlanta, Georgia, the lake is in a region of rapidly growing population. This very large lake of 55,950 acres has over 200 access points along the 962 mile shoreline and a total project area of over 80,000 acres. The Tugaloo arm of the lake is 49 miles long; the Seneca arm of the lake is 45 miles long. The Corps administers a narrow strip of land (averaging 200 feet in width) around the shoreline.

It is one of the most heavily used Corps lakes in the nation with a 1978 visitation of 11,420,500 recreation days, more than double that of the next highest lake studied. The topography around the reservoir is rugged, with slopes varying between five percent to over 25 percent in the upper reaches of the reservoir. Cut-over mixed pine and upland hardwood forests predominate. The climate is mild, with normal summer temperatures in the middle 80's (degrees F), and annual precipitation consists of 48 inches of rain and two inches of snow. Primary access to the project is via I-85. Encircling the reservoir and connecting with I-85 are numerous primary and secondary roads.

^{*} Appendix C contains a more detailed project area description for your future use.

^{**} See map inside back cover.

A table of factors for converting U. S. customary units of measurement to metric (SI) units is found on page iv.

PART 2: SURVEY FINDINGS BY ACTIVITY

BOATING AND WATERSKIING

Orientation

Boating and waterskiing are popular activities at Hartwell. The lake's many islands, coves, and inlets are quite popular with boaters and picnickers. The water areas near ramps, marinas, and recreation areas receive heavy use, and the narrow configuration of portions of the lake result in areas where nodal carrying capacity problems exist. There are over 4000 private docks on the lake which make carrying capacity control and management unusually difficult. In some areas severe shoreline erosion exists; riprapping and bulk-heading are being used to stabilize this problem. Some user conflicts on the lake surface occur between sailboats and power boats, and between boaters and swimmers.

The findings presented in the remainder of this section are based on the User Survey. This survey obtained 24 responses from boaters and waterskiers at Hartwell Lake.

PRECEDING FACE BLANK-NOT FILLED

User characteristics

Table 1 indicates the characteristics of the boaters and waterskiers surveyed at Hartwell. The most significant differences in the characteristics of the boaters and waterskiers surveyed at Hartwell from those of other study project areas are the relatively large number coming from nearby areas and the relatively large proportion of power boats.

Table 1

	Boater and Waterskier	Characteristic	s
Age	Percent of Boaters/Waterskiers	Group Size	Percent of Boaters/Waterskiers
<18	21*	1	0
18 - 25	42*	2	8**
26 - 40	21	3 - 4	46
41 - 55	17	5 - 8	33
56 - 65	0	9 - 12	13
>65	0	>12	0
Travel Time to Project Area	Percent of Boaters/Waterskiers	Visit Duration	Percent of Boaters/Waterskiers
<15 minutes	25	1 - 4 hours	38
15 - 30 minutes	17	5 - 8 hours	46
30 - 60 minutes	42*	l day	8
1 - 2 hours	4 * *	2 days	4
2 - 3 hours	13**	3 days	0
3 - 5 hours	0	4 days	0
>5 hours	0	5 ~ 7 days	0
		>7 days	4
No. of Other	Percent of	Paulanana	Percent of
Activities	Boaters/Waterskiers	Equipment	Boaters/Waterskiers
0	17	Sailboat	5**
1	13	Canoe/Rowboa	0**
2	17	Power Boat	

No. of Other <u>Activities</u>	Percent of Boaters/Waterskiers	Equipment	Percent of Boaters/Waterskiers
0	17	Sailboat	5**
ì	13	Canoe/Rowboat	0**
2	17	Power Boat	
3	21	(>25 h.p.)	95
4	17		
5	8		
6	8		
>6	0		

*Significantly higher than total survey sample.
**Significantly lower than total survey sample.

User opinions

<u>Spacing preferences</u> - Tables 2 and 3 indicate the spacing that the boaters and waterskiers surveyed at Hartwell and elsewhere prefer.

Table 2
Preferred Distance Responses*

Sample	Sample Size	Range	Mean	Median	Mode
All Boaters Surveyed	135	30- a	531	300	300
Hartwell Lake	4	50-300	275	300	300
All Waterskiers Surveyed	95	30- a	520	300	300
Hartwell Lake	16	100-1500	431	300	300

^{*}In feet; see Appendix A for definitions of terms.

Table 3
Preferred Distance Responses in Planning Range and Preference Groupings*

Sample	% in Planning Range ¹ (100'-1500')	% in A ² (100'-199')	% in B ² (200'-450')	% in C ² (451'-1500')
All Boaters Surveyed Hartwell Lake	79% 75	2 9% 0	37% 100	34% 0
Sample	% in Planning Range ¹ (100'-1500')	% in A ² (100'-199')	% in B ² (200'-400')	% in C ² (401'-1500')
All Waterskiers Surveyed Hartwell Lake	91% 100	22% 19	50% 56	2 8% 25

^{*}See Appendix A for definitions of terms; see Technical Report for a full development of spacing preference information.

a - response of "alone" or "out of sight."

Percentage of all preferred distance responses.

²Percentage of all preferred distance responses in the Planning Range.

Reasons for pleasant/unpleasant experience - Table 4 indicates the impact that different factors had on making the boating or waterskiing experience pleasant or unpleasant for users at Hartwell Lake. Distance from other people, amount/convenience of facilities, people being in areas where they shouldn't be, and car parking facilities were the factors most often cited as being unpleasant. None of these factors was so unpleasant as to cause a surveyed user to indicate that he would not return to the lake.

Tables 5 and 6 indicate the changes in the physical condition and people's use of the area reported by boaters and waterskiers from their previous visit.

Table 5

Positive and Negative Changes Noticed in the <u>Physical Conditions</u>
of the Area - Items Mentioned by Boaters/Waterskiers

Area	Positive Changes		Negative Changes	
Lake and Adjacent Areas	"Gate house" "More development"	(1) (1)	"Shoreline erosion" (1)

NOTE: The number in parenthesis (#) indicates the number of times the change was mentioned.

Table 6

Positive and Negative Changes Noticed in the <u>People's Use</u>
of the Area - Items Mentioned by Boaters/Waterskiers

Area	Positive Cha	nges	Negative Chan	ges
Lake and Adjacent Areas	"More people"	(1)	"More boats"	(2)

NOTE: The number in parenthesis (#) indicates the number of times the change was mentioned.

Table 4

Reasons Making Recreation Experience Pleasant or Unpleasant~-Boating/Waterskiing
Hartwell Lake

	Percentage	Percentage* of Users Responding:		
Reasons	Pleasant	Unplessant	Not Important	
General Reasons]			
Characteristics and behavior of other people	88	44	4	
Distance from other people	63	38		
Number of people in other visitor groups	71	13	8	
Number and type of other activities occurring here	83	13	4	
Scenic views	92	-	8	
Noise	71	4	21	
Accidents or near accidents	83	13	-	
Enforcement of rules/regulations	83	17	-	
Car parking facilities	75	21	-	
Theft	83	13	-	
Vandalism	79	17	-	
Land-Based Reasons				
Amount of facilities (restrooms, water, etc.)	61	33	-	
Convenience to facilities (restrooms, water, etc.)	72	22	-	
Maintenance of facilities	94	_	-	
Condition of trees and landscape	89	6	-	
Condition of grass or soil	83	11	-	
Water-Based Reasons				
Water quality	83	17		
Formal designation of places for your activity	50	-	-	
Waiting time to launch boat	57	4	_	
People in areas they shouldn't be	63	29	4	

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

<u>Acceptability of techniques</u> - Table 7 indicates the acceptability of different techniques for solving problems to the boaters and waterskiers surveyed at Hartwell Lake.

The acceptability of many techniques is very clear: at least 60 percent of the respondents agreed on one of the three levels of acceptability for 8 of the 17 techniques. However, even for those techniques which were acceptable to most respondents, up to 42 percent responded that these techniques were unacceptable. Thus, project managers should expect some expression of opposition to any technique which they employ.

In general, the more apparent and widespread that a problem of overcrowding or overuse is, the more likely users may accept a technique which addresses it. Thus, remedial techniques (which solve existing problems) are generally more acceptable than preventative techniques (which correct a problem before it becomes readily apparent).

The more users can understand the rationale and operation of a technique, the more likely they will accept the use of the technique. Education, therefore, would seem to be an important method of improving user acceptance of different techniques.

It also seems as though the more directly a technique impacts only the problem, and the less it operates to diminish recreational opportunities generally, the more likely users will accept the use of the technique. Thus, techniques which can be applied in the short-term or selectively to problem areas are favored (particularly if done in a crisis setting).

Techniques which call for reductions in existing opportunities to use recreational resources and facilities are strongly disfavored. User expectations of the opportunities available are critical in this determination. Consideration should be given initially to avoiding overdeveloping an area with the idea that selective cutbacks in services and facilities can be accomplished later. Users expectations will be based on the initial level, and subsequent reductions will be disfavored.

Table 7
User Acceptability of Techniques--Boating/Waterskiing
Hartwell Lake

	Level	s of Accepta	bility
		* of Users R	esponding:
Techniques	Very Acceptable	Mildly Acceptable	Unacceptable
General Planning Techniques			
Keep major recreation areas more separated	46	13	21
Make vehicle access to areas less convenient	8	8	79
Make area's existence less obvious	29	8	58
Site Planning Techniques			
Design for greater distance between people	17	4	8
Reduce number of parking spaces	38	8	54
Management Techniques			
<u>Procedures:</u> Require prior reservations	_	17	83
Require permits	17	25	58
require permits		23	J6
Charge/increase fees	17	17	67
Rules and Regulations:	8	8	83
Impose more rules			
Provide stricter enforcement of rules	29	17	54
Close areas when natural resource destruction reaches critical point	79	13	8
Close areas when they become "too full"	63	17	20
Reduce number of activities in same area	42	8	42
Keep unnecessary vehicles out	63	8	4
Services:			
Provide more and better information	67	25	88
Increase maintenance and restoration	25	13	-
Reduce facilities and services	17	25	58

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

BOAT FISHING

Orientation

Sport fishing is a major attraction at Hartwell Lake. During the User Survey, interviews with boat fishermen were conducted on the lake surface in the general area between the Oconee Point and Twelve Mile recreation areas. Some user conflicts were observed between boaters and boat fishermen.

The findings presented in the remainder of this section are based on the User Survey. This survey obtained 15 responses from boat fishermen at Hartwell Lake.

PRECEDING PACE BLANK-ME

User characteristics

Table 8 indicates the characteristics of the boat fishermen surveyed at Hartwell. The most significant differences in the characteristics of the boat fishermen surveyed at Hartwell from those of other study project areas are the relatively smaller typical group size and the relatively fewer fishermen participating in other activities.

Table 8

	Boat Fisherman (haracteristics	
Age	Percent of Boat Fishermen	Group Size	Percent of Boat Fishermen
<18	7	1	13
18 - 25	13	2	53
26 - 40	27	3 - 4	27**
41 - 55	40	5 ~ 8	7**
56 - 65	7	9 - 12	0
>65	7	>12	0
Travel Time to Project Area	Percent of Boat Fishermen	Visit Duration	Percent of Boat Fishermen
<15 minutes	13	1 - 4 hours	27
15 - 30 minutes	33	5 - 8 hours	67
30 - 60 minutes	27	l day	0
1 - 2 hours	13	2 days	0
2 - 3 hours	13	3 days	0
3 - 5 hours	0	4 days	0
>5 hours	0	5 - 7 days	7
		>7 days	0
No. of Other	Percent of		Percent of
<u>Activities</u>	Boat Fishermen	Equipment	Boat Fishermen
0	60★	Power Boat	
1	20	(>25 h.p.)	100
2	13**		
3 4	0**		
4	0		
5	7		
6	0		
>6	0		

*Significantly higher than total survey sample.
**Significantly lower than total survey sample.

User opinions

Spacing preferences - Tables 9 and 10 indicate the spacing that the boat fishermen surveyed at Hartwell and elsewhere prefer.

Table 9 Preferred Distance Responses*

Sample	Sample Size	Range	Mean	Median	Mode
All Boat Fishermen Surveyed	111	30 - 5280	555	200	100
Hartwell Lake	14	100 - 1500	765	750	1500

^{*}In feet; See Appendix A for definitions of terms.

Table 10 Preferred Distance Responses in Planning Range and Preference Groupings*

Sample	% in Planning Range ¹ (50'-1500')	% in A ² (50'-199')	% in B ² (200'-599')	% in C ² (600'-1500')
All Boat Fishermen Surveyed	91%	49%	27%	24%
Hartwell Lake	100	21	14	64

^{*}See Appendix A for definitions of terms; See Technical Report for a full development of spacing preference information.

Significantly more boat fishermen at Hartwell prefer group C spacing than at the other study project areas.

¹Percentage of all preferred distance responses.

Percentage of all preferred distance responses in Planning Range.

Reasons for pleasant/unpleasant experience - Table 11 indicates the impact that different factors had on making the boat fishing experience pleasant or unpleasant for users at Hartwell. "Catching fish," "convenience to facilities," and "distance from other people," were the factors which most often made the experience at Hartwell unpleasant. None of these factors was so unpleasant as to cause a boat fisherman to indicate that he would not return.

Tables 12 and 13 indicate the changes in the physical condition and people's use of the area by boat fishermen from their previous visit.

Table 12

Positive and Negative Changes Noticed in the Physical Conditions of the Area - Items Mentioned by Boat Fishermen

Area	Positive Cha	nges	Negative Changes
Lake and Adjacent Areas	"Gate"	(1)	(None mentioned)
1			<u> </u>

NOTE: The number in parenthesis (#) indicates the number of times the change was mentioned.

Table 13

Positive and Negative Changes Noticed in the <u>People's Use</u>
of the Area - Items Mentioned by Boat Fishermen

Area	Positive Changes	Negative Changes
Lake and Adjacent Areas	"Cleaner" (1) "More bass fishermen"(1)	(None mentioned)

NOTE: The number in parenthesis (#) indicates the number of times the change was mentioned.

Table 11
Reasons Making Recreation Experience Pleasant or Unpleasant--Boat Fishing
Hartweil Lake

	Percentage	* of Users R	esponding:
Reasons	Pleasant	Unpleasant	Not Important
General Reasons Characteristics and behavior of other people	93	7	•
Distance from other people	80	20	-
Number of people in other visitor groups	93	7	-
Number and type of other activities occurring here	93	7	-
Scenic views	100	-	-
Noise	93	-	7
Accidents or near accidents	87	13	_
Enforcement of rules/regulations	100	-	-
Car parking facilities	80	13	7
Theft	93	-	7
Vandalism	93	-	7
Land-Based Reasons Visual privacy from other people	33	-	60
Amount of facilities (restrooms, water, etc.)	87	13	-
Convenience to facilities (restrooms, water, etc.)	73	27	-
Maintenance of facilities	100	-	-
Condition of trees and landscape	100	-	_
Condition of grass or soil	100	-	-
<u>Water-Based Reasons</u> Water quality	100	-	-
Catching fish	53	33	-
People in areas they shouldn't be	93	7	-

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

Acceptability of techniques - Table 14 indicates the acceptability of different techniques for solving problems to the boat fishermen surveyed at Hartwell.

The acceptability of most techniques is very clear: at least 60 percent of the respondents agreed on one of the three levels of acceptability for 12 of the 17 techniques. However, even for those techniques which were acceptable to most respondents, up to 47 percent responded that these techniques were unacceptable. Thus, project managers should expect some expression of opposition to any technique which they employ.

Table 14
User Acceptability of Techniques--Boat Fishing
Hartwell Lake

	Levels of Acceptability		
	Percentage* of Users Responding:		
Techniques	Very	Mildly	Unacceptable
	Acceptable	Acceptable	onacceptable
General Planning Techniques	1		
Keep major recreation areas more separated	73	20	7
	,,,		<u> </u>
Make vehicle access to areas less	47	27	27
convenient	1		
Make area's existence less obvious	20	60	20
nake area o engelence reported			
Site Planning Techniques	}		
Reduce number of parking spaces	53	-	47
	1		
Management Techniques	1		
Procedures:	1	ł	
Require prior reservations	27	13	60
	13	27	60
Require permits	13	21	60
	21		79
Charge/increase fees			/9
Dulan and Deputations			
Rules and Regulations:	53	_	47
Impose more rules)))		
Provide stricter enforcement of rules	60	27	13
Close areas when natural resource	 		
1	73	13	13
destruction reaches critical point	 		
Close areas when they become "too full"	43	36	21
	 		
Reduce number of activities in same area	73	20	7
	 		
Limit number of people in visitor groups	7	-	53
	 		
Keep unnecessary vehicles out	93	7	i -
	1		
Services:	1	1	,
Provide more and better information	100	ļ <u>-</u>	
Increase maintenance and restoration	93	7	[-
And to the matter and the tent to the total of the tent to the ten	ļ		
Reduce facilities and services	33	-	67
	<u> </u>	l	l

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

BOAT LAUNCHING

Orientation

The Corps ramps are dispersed around the lake, have a high level of development, and each contains only one launching lane. During the User Survey, overcrowding and congestion were observed.

The findings presented in the remainder of this section are based on the User Survey. This survey obtained 17 responses from boat launchers at Twelve Mile Recreation Area.

User characteristics

Table 15 indicates the characteristics of the boat launchers surveyed at Hartwell. The most significant differences in the characteristics of the boat launchers surveyed at Hartwell from those of other study project areas are the relatively smaller group size and the relatively shorter travel times.

Table 15
Boat Launcher Characteristics

Age	Percent of Boat Launchers	Group Size	Percent of Boat Launchers
<18	0	1	0
18 - 25	24	2	47*
26 - 40	35	3 - 4	41
41 - 55	41	5 ~ 8	12
56 - 65	0	9 - 12	0**
>65	0	>12	0
.	D	111 - 1 6	Democrat of

Travel Time to	Percent of	Visit	Percent of
Project Area	Boat Launchers	<u>Duration</u>	Boat Launchers
<pre></pre>	18 47* 24 12** 0 0	1 - 4 hours 5 - 8 hours >8 hours	24 76 0

No. of Other Activities	Percent of Boat Launchers
0	59*
1	29
2	6
3	6
4	0
5	0
6	0
>6	0

^{*}Significantly higher than total survey sample.
**Significantly lower than total survey sample.

User opinions

<u>Launch time preferences</u> - The launching times boat launchers surveyed at Hartwell preferred ranged from 5 to 20 minutes, with the average time being 7 minutes.

Reasons for pleasant/unpleasant experience - Table 16 indicates the impact that different factors had on making the boat launching experience pleasant or unpleasant for users at the Twelve Mile Ramp. "Car parking facilities," "waiting time to launch," and "characteristics and behavior of others" were the factors which most often made the experience at Twelve Mile unpleasant. None of the boat launchers surveyed indicated that he would not return to the area. No changes in the physical condition or people's use of the area were reported by boat launchers from their previous visit.

Table 16
Reasons Making Recreation Experience Pleasant or Unpleasant--Boat Launching
Twelve Mile Ramp

TAGENG WITE VOID					
n .	Percentage* of Users Responding:				
Reasons	Pleasant	Unpleasant	Not Important		
General Reasons Characteristics and behavior of other people	82	18			
Distance from other people	41	-	18		
Number of people in other visitor groups	35	-	65		
Number and type of other activities occurring here	71	-	29		
Scenic views	53	-	47		
Noise	35	-	65		
Accidents or near accidents	100	_	-		
Enforcement of rules/regulations	100	-	-		
Car parking facilities	18	71	12		
Theft	82	12	6		
Vandalism	82	12	6		
Land-Based Reasons	100				
Amount of facilities (restrooms, water, etc.) Convenience to facilities (restrooms, water, etc.)	100	-	-		
Steepness of slopes	100	-	-		
Maintenance of facilities	100	_	-		
Condition of trees and landscape	82	-	18		
Condition of grass or soil	82	-	18		
Water-Based Reasons Water quality	100	-	-		
Formal designation of places for your activity	6	•	•		
Waiting time to launch boat	82	18	-		
People in areas they shouldn't be	82	6	-		

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

Acceptability of techniques - Table 17 indicates the acceptability of different techniques for solving problems to the boat launcher surveyed at Hartwell.

The acceptability of most techniques is very clear: at least 60 percent of the respondents agreed on one of the three levels of acceptability for 15 of the 19 techniques. However, even for those techniques which were acceptable to most respondents, up to 31 percent responded that these techniques were unacceptable. Thus, project managers should expect some expression of opposition to any technique which they employ.

Table 17
User Acceptability of Techniques--Boat Launching
Hartwell Lake

	Levels of Acceptability			
	Percentage* of Users Responding:			
Techniques	Very	Mildly	Unacceptable	
	Acceptable	Acceptable	- Chacceptable	
General Planning Techniques			ł	
Keep major recreation areas more separated	18	53	29	
Make vehicle access to areas less convenient	-	12	88	
Make area's existence less obvious	-	12	88	
Site Planning Techniques Redesign area to accommodate fewer users	44	25	31	
Design for greater distance between people	6	6	6	
Reduce number of parking spaces	71	12	18	
Management Techniques				
Procedures:				
Require prior reservations		-	100	
Require permits	-	-	100	
Charge/increase fees	6	18	76	
Rules and Regulations:				
Impose more rules	71	6	25	
Provide stricter enforcement of rules	88	12	-	
Close areas when natural resource	71	18	12	
destruction reaches critical point	/1	10	12	
Close areas when they become "too full"	77	24	-	
Reduce number of activities in same area	41	47	12	
Limit number of people in visitor groups	-	-	100	
Keep unnecessary vehicles out	100	-	-	
Services:				
Provide more and better information	94	6	_	
Increase maintenance and restoration	94	6	-	
Reduce facilities and services	-	_	100	

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

CAMPING

Orientation

Twenty of the 68 recreation areas at Hartwell provide for tent and trailer camping. The level of development and level of control at the campgrounds are high, although there are no electric hookups at any of the Corps-managed campgrounds. Contracted gate attendants are used at some campgrounds and some impact sites (25' x 25') have recently been put in the Watsaddlers Campground to prevent overuse. Most of the campers interviewed during the User Survey responded that the distance that the campsites were spaced is just right; however, approximately 25 percent of the Asbury Campers responded that the distance between campers was "too close."

The findings presented in the remainder of this section are based on the User Survey. This survey obtained 96 responses from campers at Hartwell (16 at Asbury, 17 at Crescent, 19 at Milltown, 30 at Oconee, and 14 at Watsaddlers).

PRECEDING FACE BLANK-NOT PELISED

User characteristics

Table 18 indicates the characteristics of the campers surveyed at Hartwell. The most significant difference in the characteristics of the campers surveyed at Hartwell from those of other study project areas is the shorter travel times.

Table 18
Camper Characteristics

	Camper Chara	acteristics	
<u>Age</u>	Percent of Campers	Group Size	Percent of Campers
<18	3	1	3**
18 - 25	18	2	11**
26 - 40	52	3 - 4	43
41 - 55	17	5 - 8	38
56 - 65	5**	9 - 12	3
>65	5**	>12	2
Travel Time to Project Area	Percent of Campers	Visit Duration	Percent of Campers
<15 minutes	7	1 - 4 hours	0
15 - 30 minutes	23*	5 - 8 hours	0
30 - 60 minutes	43*	l day	6
1 - 2 hours	17**	2 days	31
2 - 3 hours	6**	3 days	23
3 - 5 hours	2**	4 days	7
>5 hours	2**	5 - 7 days	21
.		>7 days	11
No. of Other Activities	Percent of Campers	Equipment	Percent of Campers
0	2	Tent	34
	5	Tent Camper	7
2	5	Truck Camper	12
3	18	Trailer	40
Ž.	17	Van	2
5	18	Motor Home	4
1 2 3 4 5	18		
>6	18		

*Significantly higher than total survey sample.
**Significantly lower than total survey sample.

User opinions

Spacing preferences - Tables 19 and 20 indicate the spacing (as measured on center of each site) that campers surveyed at Hartwell and elsewhere prefer.

Table 19 Preferred Distance Responses* - Camping

Sample	Sample Size	Range	Mean	Median	Mode
All Campers Surveyed (11 projects) Hartwell	511 68	10 - a 50 - a	79 77	60 75	75 75
Asbury	11	70 -300	79	75	75,80
Crescent	13	60 -150	82	75	75
Milltown	11	50 – a	70	75	! -
Oconee	25	50 -150	74	75	75
Watsaddlers	8	60 - a	84	80	100

*in feet; See Appendix A for definitions of terms.
a - response of "alone" or "out of sight."

Table 20 Preferred Distance Responses in Planning Range and Preference Groupings*

Sample	% in Planning Range ¹ (20'-120')	% in A ² (20'-39')	% in B ² (40'-59')	% in C ² (60'-79')	% in D ² (80'-120')
All Campers Surveyed Hartwell	90% 87	20% 0	28% 10	31% 56	21 % 33
Asbury	73	0	0	50	50
Crescent	85	0	9	55	36
Milltown	8 2	0	22	44	33
Oconee	92	0	13	70	17
Watsaddlers	100	0	0	38	63

See Appendix A for definitions of terms; See Technical Report for full develop-1 ment of spacing preference information.
2 Percentage of all preferred distance responses.
2 Percentage of all preferred distance responses within the Planning Range.

While the preferences of campers at the 5 areas differ from each other, campers at Hartwell tend to prefer greater spacing more frequently than campers in the total survey sample.

Reasons for pleasant/unpleasant experience - Tables 21, 22, 23, 24, and 25 indicate the impact that different factors had on making the camping experience pleasant or unpleasant for users at the five areas surveyed. While the responses of the campers surveyed vary from one area to another, campers at all of the areas found their experience to be generally pleasant. The amount/convenience of facilities were the factors which caused unpleasantness in a significant number of cases at all five areas. Table 26 indicates the number of campers who indicated thay they would not return to each area and their reasons.

Tables 27 and 28 indicate the changes in the physical condition and people's use of the areas reported by campers from their previous visit.

Table 21
Reasons Making Recreation Experience Pleasant or Unpleasant--Camping Asbury

	Percentage* of Users Responding:			
Reasons	Pleasant	Unpleasant	Not Important	
General Reasons Characteristics and behavior of other people	100			
Distance from other people	93	_	7	
Number of people in other visitor groups	93	+	7	
Number and type of other activities occurring here	73	7	20	
Fees charged	94	6	-	
Scenic views	94	6	-	
Noise	88	13	-	
Accidents or near accidents	100	-	-	
Enforcement of rules/regulations	94	6	-	
Car parking facilities	81	19	-	
Theft	100	-	-	
Vandalism	100	-	. •	
Land-Based Reasons Visual privacy from other people	75	25	•	
Amount of facilities (restrooms, water, etc.)	44	56	-	
Convenience to facilities (restrooms, water, etc.)	38	63	-	
Nearness to the water body	100	-	-	
Steepness of slopes	81	-	ı	
Maintenance of facilities	81	-	-	
Condition of trees and landscape	88	-	-	
Condition of grass or soil	94	-	-	
Water-Based Reasons				
Water quality	100	_	_	

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

Table 22

Reasons Making Recreation Experience Pleasant or Unpleasant~-Camping Crescent

	Percentage* of Users Responding:			
Reasons	Pleasant		Not Important	
General Reasons Characteristics and behavior of other people	100		-	
Distance from other people	94	6	-	
Number of people in other visitor groups	94	-	-	
Number and type of other activities occurring here	82	6	6	
Fees charged	88	12	-	
Scenic views	94	-	6	
Noise	100	-	-	
Accidents or near accidents	94		-	
Enforcement of rules/regulations	94	6	-	
Car parking facilities	94	6	_	
Theft	94	-	-	
Vandalism	94	-	_	
Land-Based Reasons Visual privacy from other people	88	12	-	
Amount of facilities (restrooms, water, etc.)	53	47	-	
Convenience to facilities (restrooms, water, etc.)	59	41	-	
Nearness to the water body	100	-	-	
Steepness of slopes	82	18		
Maintenance of facilities	94	6	_	
Condition of trees and landscape	100	-	-	
Condition of grass or soil	100	-	-	
Water-Based Reasons				
Water quality	100	_	-	

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

Table 23

Reasons Making Recreation Experience Pleasant or Unpleasant--Camping Milltown

	Percentage	Percentage* of Users Responding:			
Reasons	Pleasant	ł .	Not Important		
General Reasons Characteristics and behavior of other people	100	-	-		
Distance from other people	100				
Number of people in other visitor groups	84	5	11		
Number and type of other activities occurring here	68	5	21		
Fees charged	95	5	-		
Scenic views	100	-	-		
Noise	100	-	_		
Accidents or near accidents	74	_	-		
Enforcement of rules/regulations	100	-	-		
Car parking facilities	100	-	-		
Theft	95	-	-		
Vandalism	95	-	-		
Land-Based Reasons Visual privacy from other people	95	5	<u>-</u>		
Amount of facilities (restrooms, water, etc.)	79	21	-		
Convenience to facilities (restrooms, water, etc.)	95	5	-		
Nearness to the water body	100	-	-		
Steepness of slopes	95	5	-		
Maintenance of facilities	95	5	-		
Condition of trees and landscape	100	-	-		
Condition of grass or soil	95	5	_		
Water-Based Reasons					
Water quality	95	5	-		

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

Table 24

Reasons Making Recreation Experience Pleasant or Unpleasant--Camping
Oconee Point

	Percentage* of Users Responding:			
Reasons	Pleasant	Unpleasant	Not Important	
General Reasons Characteristics and behavior of other people	97_	.3	-	
Distance from other people	100	-	-	
Number of people in other visitor groups	87	3	10	
Number and type of other activities occurring here	100	-	-	
Fees charged	97	3	-	
Scenic views	100	-	-	
Noise	97	~	3	
Accidents or near accidents	93	-	7	
Enforcement of rules/regulations	100	-	-	
Car parking facilities	100	-	-	
Theft	93	-	3	
Vandalism	93	_	3	
Land-Based Reasons Visual privacy from other people	97		3	
Amount of facilities (restrooms, water, etc.)	60	40	-	
Convenience to facilities (restrooms, water, etc.)	70	30	-	
Nearness to the water body	100	_	-	
Steepness of slopes	100	-	-	
Maintenance of facilities	97	3	-	
Condition of trees and landscape	100	-	-	
Condition of grass or soil	93	7	-	
Water-Based Reasons				
Water quality	97	3	-	

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

Table 25

Reasons Making Recreation Experience Pleasant or Unpleasant-~Camping
Watsaddlers

	Percentage* of Users Responding:			
Reasons	Pleasant		Not Important	
General Reasons Characteristics and behavior of other people	83	17	-	
Distance from other people	79	7	-	
Number of people in other visitor groups	86	-	-	
Number and type of other activities occurring here	71	7	7	
Fees charged	92	-	8	
Scenic views	77	8	15	
Noise	85	15	-	
Accidents or near accidents	69	8	8	
Enforcement of rules/regulations	85	8	8	
Car parking facilities	92	-	8	
Theft	69	8	15	
Vandalism	77	-	23	
Land-Based Reasons Visual privacy from other people	92	8		
Amount of facilities (restrooms, water, etc.)	62	30	8	
Convenience to facilities (restrooms, water, etc.)	77	23	-	
Nearness to the water body	100	-	-	
Steepness of slopes	92	-	-	
Maintenance of facilities	85	15	-	
Condition of trees and landscape	92	8	-	
Condition of grass or soil	92	8	-	
Water-Based Reasons				
Water quality	92	-	-	

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

Table 26

Number and Percent of Users That Indicated They Would Not Return to the Activity Area and Their Reasons

Area	and perce surveyed w	mber nt of users ho indicated d not return %	Reasons for not wanting to return
Asbury	1	6%	"14 day limit too short"
	, 1	6%	"No showers"
	1	6%	"Can't keep boat at site"
Crescent	-	-	
Milltown	-	-	
Oconee	-	-	
Watsaddlers	1	7%	"Gate attendant rude"
	1	7%	"Noise"

Table 27

Positive and Negative Changes Noticed in the People's Use of the Area - Items Mentioned by Campers

Area Positive Changes		Negative Changes		
Asbury	"Quieter"	(2)	"More people"	(1)
			"Litter"	(1)
			"Trespassing on camps	ites"(l
Crescent	"Not as full"	(1)	"More hippies"	(1)
			"Attendant reserves b sites for friends"	est (1)
Milltown	"Less crowded"	(1)	(None mentioned)	
Oconee	"Quieter"	(1)	"No trouble"	(1)
	"More families"	(1)	"Patrol"	(1)
' 	"Friendlier people"	(2)		
i L	"More people"	(1)		
Watsaddlers	"Less disturbances"	(1)	"More people"	(1)
			"Litter"	(1)

NOTE: The number in parenthesis (#) indicates the number of times the change was mentioned. 42

Table 28

Positive and Negative Changes Noticed in the Physical Conditions of the Area - Items Mentioned by Campers

Area	Positive Changes		Negative Changes
Asbury	"Lantern holder"	(1)	"Trees destroyed" (1)
	"Cleaner"	(1)	"Lantern poles in wrong place" (1)
Crescent	"Lantern post"	(4)	"Gate locked too early" (2)
	"More tables"	(1)	"Visitors can't come in"(1)
	"Gate attendant"	(7)	
	"Good garbage pickup"	(1)	
	"Cut grass"	(2)	,
	"Bathrooms better"	(2)	
Milltown	"Lantern post"	(3)	"Fee" (1)
	"Better up-keep"	(3)	
	"Showers"	(3)	
	"Gate"	(1)	
	"Programs"	(1)	
	"New campsites"	(1)	
Oconee	"Gate attendant"	(7)	(None mentioned)
	"Bath House"	(1)	
	"Restrooms nicer"	(1)	
	"Trash cans"	(1)	
	"Lantern posts"	(2)	
	"Water spigots"	(1)	
	"Cleaner water"	(1)	
	"More developed"	(5)	
	"Cleaner"	(3)	
Watsaddlers	"Showers"	(2)	"No garbage pickup" (1)
	"Gate attendants"	(3)	
	"Maintenance"	(3)	
	"Improved facilities"	(1)	
	"More sites"	(2)	
	"Water fill-ups"	(1)	İ
	"Parking"	(1)	
	"Steps on site"	(1)	
	"Lantern post"	(1)	

NOTE: The number in parenthesis (#) indicates the number of times the change was mentioned.

43

.

Acceptability of techniques - Table 29 indicates the acceptability of different techniques for solving problems to the campers surveyed at Hartwell.

The acceptability of most techniques is very clear: at least 60 percent of the respondents agreed on one of the three levels of acceptability for 14 of the 22 techniques. However, even for those techniques which were acceptable to most respondents, up to 39 percent responded that these techniques were unacceptable. Thus, project managers should expect some expression of opposition to any technique which they employ.

Table 29
User Acceptability of Techniques--Camping
Hartwell Lake

	Levels of Acceptability			
	Percentage* of Users Responding:			
Techniques	Very	Mildly	Unacceptable	
	Acceptable	Acceptable	nusccebcupte	
General Planning Techniques Keep major recreation areas more separated	64	13	21	
Make vehicle access to areas less convenient	20	16	63	
Make area's existence less obvious	18	12	66	
Site Planning Techniques Redesign area to accommodate fewer users	60	14	26	
Design for greater distance between people	73	12	14	
Reduce number of parking spaces	25	24	49	
Change natural surface by hardening	37	13	51	
Change natural surface by paving	51	15	34	
Provide landscaped buffers	64	11	25	
Management Techniques				
<u>Procedures:</u> Require prior reservations	21	23	56	
Require permits	41	19	39	
Charge/increase fees	19	15	67	
Rules and Regulations: Impose more rules	8	7	83	
Provide stricter enforcement of rules	29	20	50	
Close areas when natural resource destruction reaches critical point	82	7	8	
Close areas when they become "too full"	91	4	5	
Reduce number of activities in same area	22	22	55	
Limit number of people in visitor groups	28	17	54	
Keep unnecessary vehicles out	77	10	11	
Services: Provide more and better information	79	16	2	
Increase maintenance and restoration	76	12	9	
Reduce facilities and services	6	4	89	

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

PICNICKING

Orientation

Numerous picnic areas are available at Hartwell Lake, some are overused (e.g. Twelve Mile), some are overcrowded (e.g., Long Point), and others are well balanced.

The findings presented in the remainder of this section are based on the User Survey. This survey obtained 40 responses from picnickers at Hartwell (16 at Long Point, 13 at Singing Pines, and 11 at Twelve Mile).

PRECEDING PACE BLANK-MOR MALES

User characteristics

Table 30 indicates the characteristics of the picnickers surveyed at Hartwell. The characteristics of the picnickers surveyed at Hartwell were similar to the picnickers surveyed at other study project areas.

Table 30 Picnicker Characteristics

	Picnicker Cha	racteristics	
Age	Percent of Picnickers	Group Size	Percent of Picnickers
<18	6	1	3
18 - 25	26	2	Ö
26 - 40	35	3 - 4	29
41 - 55	32	5 – 8	32
56 - 65	0	9 - 12	23
>65	0	>12	12
Travel Time to	Percent of	Visit	Percent of
Project Area	<u>Picnickers</u>	<u>Duration</u>	<u>Picnickers</u>
<15 minutes	9	1 - 4 hours	32
15 - 30 minutes	47	5 - 8 hours	62
30 - 60 minutes	26	1 day	6
1 - 2 hours	18	2 days	0
2 - 3 hours	0	3 days	0
3 - 5 hours	0	4 days	0
>5 hours	0	5 - 7 days	0
		>7 days	0
No. of Other	Percent of		
Activities	<u>Picnickers</u>		
0	12		

No. of Other Activities	Percent of Picnickers
0	12
1	9
2	32
3	15
4	26
5	6
6	0
>6	0

User opinions

agent of westerness distributions

Spacing preferences - Tables 31 and 32 indicate the spacing that picnickers surveyed at Hartwell and elsewhere prefer.

Table 31 Preferred Distance Responses*

Sample	Sample Size	Range	Mean	Median	Mode
All Picnickers Surveyed	190	1 - a	62	50	50
Hartwell	25	25-100	57	60	50
Long Point	7	40- 70	56	60	-
Singing Pines	7	25-100	65	60	50
Twelve Mile	11	30- 70	52	50	40

*In feet; See Appendix A for definitions of terms.
a - response of "alone" or "out of sight."

Table 32 Preferred Distance Responses in Planning Range and Preference Groupings*

Sample	% in Planning Range ¹ (20'-100')	% in A ² (20'-39')	% in B ² (40'-59')	% in C ² (60'-79')	% in D ² (80'-100')
All Picnickers surveyed	932	23%	42%	20%	15%
Hartwell	100	4	44	47	12
Long Point	100	0	43	57	0
 	100	14	14	29	43
	100	0	64	36	0

*See Appendix A for definitions of terms; See Technical Report for a full development of spacing preference information.

¹Percentage of all preferred distance responses.

Percentage of all preferred distance responses in the Planning Range.

While the preferences of picnickers at the three areas differ from each other, spacing in the range of group A (20-39 feet) is greatly disfavored at all areas.

Reasons for pleasant/unpleasant experience - Tables 33, 34, and 35 indicate the impact that different factors had on making the picnicking experience pleasant or unpleasant for users at the three areas surveyed. Picnickers at Twelve Mile found their experience to be generally the most pleasant, followed by those at Singing Pines, and those at Long Point. The amount/convenience of facilities made the experience at all three areas unpleasant in a significant number of cases. One user indicated that he would not return to the area (see Table 36).

Tables 37 and 38 indicate the changes in the physical condition and people's use of the areas reported by picnickers from their previous visit.

Table 33

Reasons Making Recreation Experience Pleasant or Unpleasant--Picnicking

Long Point

	Percentage* of Users Responding		
	Pleasant	Unpleasant	Not Important
General Reasons Characteristics and behavior of other people	100	-	-
Distance from other people	63	25	13
Number of people in other visitor groups	69	-	25
Number and type of other activities occurring here	88	-	12
Scenic views	100	-	_
Noise	75	19	
Accidents or near accidents	75	6	13
Enforcement of rules/regulations	100	-	-
Car parking facilities	69	25	6
Theft	100	-	-
Vandalism	88	12	-
Land-Based Reasons Visual privacy from other people	69	25	6
Amount of facilities (restrooms, water, etc.)	75	25	-
Convenience to facilities (restrooms, water, etc.)	63	36	-
Nearness to the water body	100	-	
Steepness of slopes	88	13	
Maintenance of facilities	88	13	-
Condition of trees and landscape	100	-	_
Condition of grass or soil	94	6	_
Water-Based Reasons Water quality	94	-	6

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

Table 34

Reasons Making Recreation Experience Pleasant or Unpleasant--Picnicking Singing Pines

	Percentage* of Users Responding		
	Pleasant	Unpleasant	Not Important
General Reasons Characteristics and behavior of other people	100	-	_
Distance from other people	92	-	8
Number of people in other visitor groups	85	-	15
Number and type of other activities occurring here	92	-	8
Scenic views	100	-	-
Noise	92	8	-
Accidents or near accidents	92	8	-
Enforcement of rules/regulations	100	-	-
Car parking facilities	85	15	•
Theft	92	-	-
Vandalism	92	-	-
Land-Based Reasons Visual privacy from other people	100	-	-
Amount of facilities (restrooms, water, etc.)	58	42	-
Convenience to facilities (restrooms, water, etc.)	58	42	-
Nearness to the water body	100	_	-
Steepness of slopes	100	-	-
Maintenance of facilities	92	8	_
Condition of trees and landscape	92	8	-
Condition of grass or soil	92	8	-
Water-Based Reasons Water quality	100	-	_

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

Table 35

Reasons Making Recreation Experience Pleasant or Unpleasant--Picnicking
Twelve Mile

	Percentage* of Users Responding		
	Pleasant	Unpleasant	Not Important
General Reasons Characteristics and behavior of other people	100	-	-
Distance from other people	100	-	_
Number of people in other visitor groups	100	-	-
Number and type of other activities occurring here	100	-	-
Scenic views	100	-	-
Noise	100	_	-
Accidents or near accidents	100	-	_
Enforcement of rules/regulations	100	-	-
Car parking facilities	82	18	-
Theft	91	9	-
Vandalism	100	_	-
Land-Based Reasons Visual privacy from other people	100	-	_
Amount of facilities (restrooms, water, etc.)	82	18	-
Convenience to facilities (restrooms, water, etc.)	82	18	-
Nearness to the water body	100	-	_
Steepness of slopes	73	27	-
Maintenance of facilities	91	-	9
Condition of trees and landshape	64	18	9
Condition of grass or soil	73	18	9
Water-Based Reasons Water quality	100	-	

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

Table 36

Number and Percent of Users That Indicated They Would Not Return to the Activity Area and Their Reasons

Area	and percer surveyed wh	nber nt of users no indicated d not return %	Reasons for not wanting to return
Long Point	_	-	
Singing Pines	. –	-	
Twelve Mile	1	9%	"Not a good swimming beach"

Table 37

Positive and Negative Changes Noticed in the <u>Physical Conditions</u> of the Area - Items Mentioned by <u>Picnickers</u>

Area	Positive Changes		Negative Changes	
Long Point	"Cleaner"	(1)	"Grass too high"	(1)
	"Grills"	(1)	"High water"	(1)
	"More trees"	(1)		
	"Grass cut"	(2)		
	"Put sand in"	(1)		
Singing Pines	"Rocks for erosion control"	n- (1)	(None mentioned)	
Twelve Mile	"New grills"	(1)	"Dirty"	(1)
	"Cleaner"	(1)	"More erosion"	(1)
<u> </u>	<u> </u>			

NOTE: The number in parenthesis (#) indicates the number of times the change was mentioned.

Table 38

Positive and Negative Changes Noticed in the People's Use
of the Area - Items Mentioned by Picnickers

Area	Positive Changes	Negative Changes	S
Long Point	(None mentioned)	"More unruliness"	(1)
Singing Pines	(None mentioned)	"Messy"	(1)
Twelve Mile	(None mentioned)	(None mentioned)	

NOTE: The number in parenthesis (#) indicates the number of times the change was mentioned.

<u>Acceptability of techniques</u> - Table 39 indicates the acceptability of different techniques for solving problems to the picnickers surveyed at Hartwell.

The acceptability of most techniques is very clear: at least 60 percent of the respondents agreed on one of the 3 levels of acceptability for 12 of the 22 techniques. But even for those techniques which most respondents found to be acceptable, up to 41 percent found them to be unacceptable. Thus, project management should expect some opposition to any technique used.

Table 39
User Acceptability of Techniques--Picnicking
Hartwell Lake

	Levels of Acceptability			
	Percentage* of Users Responding:			
Techniques	Very	Mildly	Unacceptable	
	Acceptable	Acceptable		
General Planning Techniques				
Keep major recreation areas more separated	50	29	21	
Make vehicle access to areas less convenient	18	18	65	
Make area's existence less obvious	12	18	68	
Site Planning Techniques				
Redesign area to accommodate fewer users	47	21	32	
Design for greater distance between people	71	24	6	
Reduce number of parking spaces	44	18	41	
Change natural surface by paving	41	27	32	
Provide landscaped buffers	38	44	15	
Management Techniques				
Procedures:				
Require prior reservations	3	18	79	
Require permits	6	9	85	
Charge/increase fees	9	24	68	
Rules and Regulations:				
Impose more rules	32	18	50	
Provide stricter enforcement of rules	59	15	26	
Close areas when natural resource destruction reaches critical point	88	12	_	
Close areas when they become "too full"	74	18	9	
Reduce number of activities in seam area	38	35	26	
Limit number of people in visitor groups	26	15	59	
Keep unnecessary vehicles out	62	24	15	
Services: Provide more and better information	74	18	3	
Increase maintenance and restoration	77	9	12	
Reduce facilities and services	21	6	73	

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

SHORELINE FISHING

Orientation

Shoreline fishing is popular at Hartwell, especially at the outlet area just below the dam. Like most study project areas, there appears to be a need for better and safer shoreline fishing access at the outlet. Although piers have been added at the outlet, they are not frequently used by fishermen during low water periods because they are too far from the water. Most fishermen fish from rocks which are submerged during high water periods.

The findings presented in the remainder of this section are based on the User Survey. This survey obtained 14 responses from shoreline fishermen at Hartwell (13 at the Outlet and 1 at Singing Pines).

User characteristics

Table 40 indicates the characteristics of the shoreline fisherman surveyed at Hartwell. The most significant difference in the characteristics of the shoreline fishermen surveyed at Hartwell from those of other study project areas is the relatively longer travel times.

Table 40 Shoreline Fisherman Characteristics

<u>Age</u>	Percent of Shoreline Fishermen	Group Size	Percent of Shoreline Fishermen
<18	21	1	7
18 - 25	7	2	57
26 - 40	43	3 - 4	36
41 - 55	7	5 - 8	0
56 - 65	7	9 - 12	0
>65	14	>12	0
Travel Time to Project Area	Percent of Shoreline Fishermen	Visit Duration	Percent of Shoreline Fishermen
<15 minutes	0**	1 - 4 hours	43
15 - 30 minutes	7**	5 - 8 hours	29
30 - 60 minutes	57	1 day	14
1 - 2 hours	21	2 days	7
2 - 3 hours	7	3 days	7
3 - 5 hours	7	4 days	0
>5 hours	0	5 - 7 days	0
- J HOGE		>7 days	0

No. of Other Activities	Percent of Shoreline Fishermen
0	86
1	0
2	0
3	14
4	0
5	0
6	0
>6	0

**Significantly lower than total survey sample.

User opinions

Spacing preferences - Tables 41 and 42 indicate the spacing that shoreline fishermen at Hartwell and elsewhere prefer.

Table 41 Preferred Distance Responses*

Sample	Sample Size	Range	Mean	Median	Mode
All shoreline fishermen surveyed	106	6 - a	76	35	50
Hartwell	14	6 - a	61	50	100

*In feet; See Appendix A for definitions of terms. a - response of "alone" or "out of sight."

Table 42 Preferred Distance Responses in Planning Range and Preference Groupings*

Sample	% in Planning Range ¹ (10'-100')	% in A ² (10'-19')	% in B ² (20'-39')	% in C ² (40'-59')	% in D ² (60'-100')
All shorel surveyed	ine fishermen 83%	20%	38%	24%	18%
Hartwell	45	o	40	0	60

^{*}See Appendix A for definitions of terms; See Technical Report for a full development of spacing preference information.

Percentage of all preferred distance responses.

Percentage of all preferred distance responses in Planning Range.

Reasons for pleasant/unpleasant experience - Tables 43 and 44 indicate the impact that different factors had on making the shoreline fishing experience pleasant or unpleasant for users at the two areas surveyed. The "amount/convenience of facilities" and "catching fish" were the factors which made the experience at the Outlet unpleasant in a significant number of cases. None of the shoreline fishermen surveyed indicated that they would not return to the area.

Tables 45 and 46 indicate the changes in the physical condition and people's use of the areas reported by shoreline fishermen from their previous visit.

Table 43

Reasons Making Recreation Experience Pleasant or Unpleasant--Shoreline Fishing
Outlet

_	Percentage* of Users Responding:			
Reasons	Pleasant	Unpleasant	Not Important	
General Reasons				
Characteristics and behavior of other people	100	-	-	
Distance from other people	92	8	-	
Number of people in other visitor groups	85	-	15	
Number and type of other activities occurring here	62	-	15	
Scenic views	92	-	-	
Noise	85	15	-	
Accidents or near accidents	85	8	8	
Enforcement of rules/regulations	85	8	8	
Car parking facilities	85	8	8	
Theft	92	-	-	
Vandalism				
Land-Based Reasons				
Visual privacy from other people	92		8	
Amount of facilities (restrooms, water, etc.)	54	38	8	
Convenience to facilities (restrooms, water, etc.)	54	31	15	
Nearness to the water body	54	_	-	
Steepness of slopes	85	-	8	
Maintenance of facilities	69	15	8	
Condition of trees and landscape	92	-	-	
Condition of grass or soil	92	-	-	
Water-Based Reasons				
Water quality	100	-	-	
Catching fish	54	46	-	
Formal designation of places for your activity	67	-	-	

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

Table 44

Reasons Making Recreation Experience Pleasant or Unpleasant--Shoreline Fishing
Singing Pines

	Percentage* of Users Responding:			
Reasons	Pleasant	Unpleasant	Not Important	
General Reasons				
Characteristics and behavior of other people	100			
Distance from other people	100	-	-	
Number of people in other visitor groups	100	-	-	
Number and type of other activities occurring here	100	-	-	
Scenic views	100	-	-	
Noise	100	-	-	
Accidents or near accidents	100		-	
Enforcement of rules/regulations	100	-	-	
Car parking facilities	100	-	-	
Theft	100	-	-	
Vandalism				
Land-Based Reasons Visual privacy from other people	-	-	100	
Amount of facilities (restrooms, water, etc.)	100	-	-	
Convenience to facilities (restrooms, water, etc.)	100	<u>-</u>	-	
Nearness to the water body	100	-	-	
Steepness of slopes	100	-	-	
Maintenance of facilities	100	-	-	
Condition of trees and landscape	100	-	-	
Condition of grass or soil	100	-	-	
Water-Based Reasons Water quality	100	-	-	
Catching fish	-	100	-	
Formal designation of places for your activity				

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

Table 45

Positive and Negative Changes Noticed in the Physical Conditions of the Area - Items Mentioned by Shoreline Fishermen

-	Area	Positive Changes	Negative Changes
	Outlet Singing Pines		"Blasted for pipeline" (1) (None mentioned)

NOTE: The number in parenthesis (#) indicates the number of times the change was mentioned.

Table 46

Positive and Negative Changes Noticed in the <u>People's Use</u> of the Area - Items Mentioned by Shoreline Fishermen

Area	Positive Changes	Negative Changes
Outlet	"More people" (1)	(None mentioned)
Singing Pines	(None mentioned)	(None mentioned)

NOTE: The number in parenthesis (#) indicates the number of times the change was mentioned.

Acceptability of techniques - Table 47 indicates the acceptability of different techniques for solving problems to the shoreline fishermen surveyed at Hartwell.

The acceptability of many techniques is very clear: at least 60 percent of the respondents agreed on one of the 3 levels of acceptability for 10 of the 22 techniques. But even for those techniques which most respondents found to be acceptable, up to 43 percent found them to be unacceptable. Thus, project management should expect some opposition to any technique used.

Table 47
User Acceptability of Techniques--Shoreline Fishermen Hartwell Lake

	Level	Levels of Acceptability entage* of Users Responding:			
	_		esponding:		
Techniques	Very Acceptable	Mildly Acceptable	Unacceptable		
General Planning Techniques	i	1			
Keep major recreation areas more separated	71	21	7		
Make vehicle access to areas less convenient	14	7	79		
Make area's existence less obvious	14	14	64		
Site Planning Techniques Redesign area to accommodate fewer users	25	25	25		
Design for greater distance between people	36	21	29		
Reduce number of parking spaces	50	7	43		
Change natural surface by paving	29	14	57		
Provide landscaped buffers	16	-	33		
Management Techniques					
Procedures:	}	ł			
Require prior reservations	<u> </u>	21	71		
Require permits	14	29	57		
Charge/increase fees	14	21	57		
Rules and Regulations:	21	21	57		
Impose more rules		 			
Provide atricter enforcement of rules	50	21	29		
Close areas when natural resource destruction reaches critical point	79	14	-		
Close areas when they become "too full"	79	7	14		
Reduce number of activities in seam area	50	14	21		
Limit number of people in visitor groups	7	14	14		
Keep unnecessary vehicles out	86	14	-		
Services: Provide more and better information	64	14	21		
Increase maintenance and restoration	71	14	14		
Reduce facilities and services	-	21	71		

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

SUNBATHING/SWIMMING

Orientation

While some areas are popular for swimming and sunbathing, they have a limited level of development (without showers, changing rooms, and other major improvements). Long Point and Twelve Mile are very popular, and both are overcrowded and overused.

The findings presented in the remainder of this section are based on the User Survey. This survey obtained 23 responses from sunbathers and swimmers at Hartwell (20 at Long Point, 2 at Oconee and 1 at Twelve Mile).

PRECEDING FACE BLANK-NOT FILMED

User characteristics

Table 48 indicates the characteristics of the sunbathers and swimmers surveyed at Hartwell. The most significant difference in the characteristics of the sunbathers/swimmers surveyed at Hartwell from those of other study project areas is the relatively larger group sizes.

Table 48
Sunbather/Swimmer Characteristics

Age	Percent of Sunbathers/Swimmers	Group <u>Size</u>	Percent of Sunbathers/Swimmers
<18	4	1	0**
18 - 25	54	2	29**
26 - 40	42	3 - 4	38
41 - 55	0	5 - 8	29
56 - 65	0	9 - 12	4
>65	0	>12	0
Travel Time to Project Area	Percent of Sunbathers/Swimmers	Visit Duration	Percent of Sunbathers/Swimmers
<15 minutes	21	1 - 4 hours	46
15 - 30 minutes	42	5 - 8 hours	50
30 - 60 minutes	29	1 day	0
1 - 2 hours	4	2 days	4
2 - 3 hours	4	3 days	0
3 - 5 hours	0	4 days	0
>5 hours	0	5 - 7 days	0
		>7 days	0

Percent of Sunbathers/Swimmers
0
54
21
0 ·
17
4
4
0

^{**}Significantly lower than total survey sample.

User opinions

Spacing preferences - Tables 49 and 50 indicate the spacing that sunbathers and swimmers surveyed at Hartwell and elsewhere prefer.

Table 49 Preferred Distance Responses*

Sample	Sample Size	Range	Mean	Median	Mode
All Sunbathers surveyed	161	3- a	30	20	15, 20
Hartwell Long Point	12 11	5-120 5-120	44 52	30 40	30 30
Oconee Twelve Mile	0	- 20	- 20	- 20	- 20
All Swimmers surveyed	120	2-200	25	20	20
Hartwell Long Point	8	10-200 10-200	59 59	40 40	<u>-</u>
Oconee Twelve Mile	0	-	-		

^{*}In feet; See Appendix A for definitions of terms.

Table 50 Preferred Distance Responses in Planning Range and Preference Groupings*

Sample	% in Planning Range ¹ (5'-50')	% in A ² (5'-14')	% in B ² (15'-20')	% in C ² (21'-30')	% in D ² (31'-50')
All Sunbathers surveyed	88%	27%	39%	20%	14%
Hartwell Long Point Twelve Mile	58 55 100	14 17 0	14 0 100	43 50 0	29 33 0
Sample	% in Planning Range ¹ (5'-50')	% in A ² (5'-14')	% in B ² (15'-24')	% in C ² (25'-34')	% in D ² (35'-50')
All Swimmers surveyed	90%	25%	41%	19%	15%
Hartwell	63	20	40	0	40
Long Point	63	20	40	0	40

^{*}See Appendix A for definitions of terms; See Technical Report for a full development of spacing preference information.

a - response of "alone" or "out of sight."

Percentage of all preferred distance responses.

Percentage of all preferred distance responses in Planning Range.

Both the sunbathers and swimmers surveyed at Hartwell tend to prefer greater spacing more frequently than the total sample.

Reasons for pleasant/unpleasant experience - Tables 51, 52 and 53 indicate the impact that different factors had on making the sunbathing/swimming experience pleasant or unpleasant for users at the three areas surveyed. The "amount/convenience of facilities" made the experience at all three areas unpleasant in a significant number of cases. None of the users surveyed indicated they would not return to the area.

Tables 54 and 55 indicate the changes in the physical condition and people's use of the areas reported by sunbathers and swimmers from their previous visit.

Table 51

Reasons Making Recreation Experience Pleasant or Unpleasant--Sunbathing/Swimming

Long Point

	Percentage	* of Users R	esponding:
Reasons	Pleasant	Unpleasant	Not Important
General Reasons Characteristics and behavior of other people	75	6	13
Distance from other people	63	19	19
Number of people in other visitor groups	63	6	31
Number and type of other activities occurring here	31	19	31
Scenic views	88	-	6
Noise	69	_	25
Accidents or near accidents	56	19	19
Enforcement of rules/regulations	81	6	6
Car parking facilities	69	25	6
Theft	75	6	6
Vandalism	75	6	6
Land-Based Reasons Amount of facilities (restrooms, water, etc.)	75	25	-
Convenience to facilities (restrooms, water, etc.)	69	31	-
Maintenance of facilities	88	13	-
Condition of trees and landscape	88	13	-
Condition of grass or soil	75	25	-
<u>Water-Based Reasons</u> Water quality	94	6	-
Formal designation of places for your activity	75	6	19
People in areas they shouldn't be	69	6	19

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

Table 52

Reasons Making Recreation Experience Pleasant or Unpleasant---Sumbathing/Swimming
Oconee

	Percentage	* of Users R	esponding:
Reasons	Pleasant	Unpleasant	Not Important
General Reasons Characteristics and behavior of other people	100	-	-
Distance from other people	100	-	-
Number of people in other visitor groups	100	_	-
Number and type of other activities occurring here	50	50	-
Scenic views	100	-	
Noise	100		-
Accidents or near accidents	50	50	-
Enforcement of rules/regulations	100	-	-
Car parking facilities	100	-	-
Theft	100	-	_
Vandalism	100	-	_
Land-Based Reasons Amount of facilities (restrooms, water, etc.)	50	50	-
Convenience to facilities (restrooms, water, etc.)	-	100	-
Maintenance of facilities	100	-	-
Condition of trees and landscape	100	-	-
Condition of grass or soil	50	50	-
Water-Based Reasons Water quality	100	_	-
Formal designation of places for your activity			
People in areas they shouldn't be	100	-	-

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

Table 53

Reasons Making Recreation Experience Pleasant or Unpleasant--Sumbathing/Swimming
Twelve Mile

	Percentage	* of Users R	esponding:
Reasons	Pleasant	Unpleasant	Not Important
General Reasons Characteristics and behavior of other people	100	-	-
Distance from other people	100	-	-
Number of people in other visitor groups	100	_	-
Number and type of other activities occurring here	100		-
Scenic views	100	-	-
No1se	100	-	-
Accidents or near accidents	100	-	-
Enforcement of rules/regulations	100	-	-
Car parking facilities	100	_	-
Theft	100	-	-
Vandalism	100	_	-
Land-Based Reasons Amount of facilities (restrooms, water, etc.)	_	100	_
Convenience to facilities (restrooms, water, etc.)	-	100	-
Maintenance of facilities	100	-	-
Condition of trees and landscape	100	-	-
Condition of grass or soil	100	-	-
Water-Based Reasons Water quality	100	-	-
Formal designation of places for your activity			
People in areas they shouldn't be	100	_	-
		-	-

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

Table 54

Positive and Negative Changes Noticed in the Physical Conditions of the Area - Items Mentioned by Sunbathers/Swimmers

Positive Changes		Negative Changes
"Cleaner" "Grass cut"	(1) (4)	(None mentioned)
"Better campsites" (None mentioned)	(1)	(None mentioned) (None mentioned)
	"Cleaner" "Grass cut" "Better campsites"	"Grass cut" (4) "Better campsites" (1)

NOTE: The number in parenthesis (#) indicates the number of times the change was mentioned.

Table 55

Positive and Negative Changes Noticed in the <u>People's Use</u> of the Area - Items Mentioned by Sunbathers/Swimmers

Area	Positive Chan	ges	Negative Changes	
Long Point	"more people"	(1)	"Parking citations" "Litter"	(1) (1)
Oconee	(None mentioned)		(None mentioned)	
Twelve Mile	(None mentioned)		(None mentioned)	

NOTE: The number in parenthesis (#) indicates the number of times the change was mentioned.

Acceptability of techniques - Table 56 indicates the acceptability of different techniques for solving problems to the sumbathers/swimmers surveyed at Hartwell.

The acceptability of most techniques is very clear: at least 60 percent of the respondents agreed on one of the 3 levels of acceptability for 11 of the 18 techniques. But even for those techniques which most respondents found to be acceptable, up to 42 percent found them to be unacceptable. Thus, project management should expect some opposition to any technique used.

Table 56
User Acceptability of Techniques--Sunbathing/Swimming
Hartwell Lake

		s of Accepta	
	Percentage	* of Users R	esponding:
Techniques	Very	Mildly	Unacceptable
	Acceptable	Acceptable	Ullacceptable
General Planning Techniques			
Keep major recreation areas more separated	50	13	33
Make vehicle access to areas less	·		
convenient	29	17	54
Make area's existence less obvious	25	13	63
		 	
Site Planning Techniques		1	
Redesign area to accommodate fewer users	17	30	50
Design for greater distance between people	63	17	21
Reduce number of parking spaces	17	8	71
Management Techniques			
Procedures:			
Require permits	17	8	75
Charge/increase fees	13	13	75
Rules and Regulations:	22	_	
Impose more rules	29	8	63
Provide stricter enforcement of rules	42	17	42
Close areas when natural resource	71	8	17
destruction reaches critical point		L	
Close areas when they become "too full"	42	8	50
Reduce number of activities in same area	38	13	42
Limit number of people in visitor groups	21	8	71
Keep unnecessary vehicles out	58	17	25
6			
Services:	71	25	4
Provide more and better information			
Increase maintenance and restoration	83	17	-
Reduce facilities and services	21	4	75

^{*}Percentages may not total 100% because of those responding "Does Not Apply."

PART 3: ANALYSIS OF SELECTED PROBLEMS/SITUATIONS

81

PRECEDING FACE BLANK-NOT FILMED

PART 3: ANALYSIS OF SELECTED PROBLEMS/SITUATIONS

This final section identifies and examines selected problems and situations at Hartwell Lake. The section is not intended to provide solutions to all project area problems. Nor is it a substitute for project area master planning. The solutions/techniques are intended to be only suggestions for further consideration by project area personnel, for they are most familiar with the intricacies associated with these problems.

In many cases, the project area staff is already aware of these problems or situations and is in the process of dealing with them. And in some cases, the solutions/techniques listed in Table 57 may not be practical or possible because of management, budget, or other constraints.

Table 57
Analysis of Selected Problems/Situations

Area/Subject	Problem/Situation	Possible Solutions/Techniques
Shoreline erosion	Severe shoreline erosion exists in some areas; the shoreline is extremely sen-	 continue to stabilize shoreline areas where needed using riprapping, bulkheading, etc.
	sitive to erosion from boat wakes, foot traffic, and natural wave action.	 identify those areas most prone to erosion.
	natural wave action.	 continually look for new ways of preventing and solving shoreline erosion problems.
Long Point and Twelve Mile	Some areas are overused.	 close the most abused areas to allow vegetation to become rees- tablished.
		reseed and fertilize.
		 consider using impact picnic sites in the most sensitive area.
Twelve Mile Boat	Overcrowding and conges-	 enlarge parking area.
Ramp	tion at the Twelve Mile	 expand ramp to two lanes.
	Boat Ramp.	 provide better circulation con- trols to expedite launching.
		 consider using a ranger to help direct traffic on peak weekend periods and holidays.

Area/Subject	Problem/Situation	Possible Solutions/Techniques
		 consider establishing a no wake area in the vicinity of the ramp.
		 Figure 1 illustrates a hypo- thetical launching ramp to demon- strate ways the carrying capacity at a ramp might be increased.
Beaver Trail	Possible underuse of Beaver hiking trail (during the User Survey no hikers were seen on the trail).	 make more people aware that this trail existsmore informa- tion, better signs, etc.
Outlet	Need for better and safer shoreline access.	 consider providing additional piers at appropriate locations.
		 improve vehicle and pedestrian access for Outlet fishing.
Campgrounds	Some campsites are overused, and some users want great spacing at Asbury.	 consider using impact type campsites in other appropriate areas (e.g. the sites closest to the lake seem to acquire the most use and wear).
		 place limitations on the number of vehicles per site (and discuss this with campers before establish- ing a guideline to follow).
		• provide some areas for campers who prefer greater spacing between sites than now exists.
Campgrounds	Group camping on sites as they now exist causes excess wear.	• continue to use and enforce the 8 person/site guideline at the individual campsite.
		 provide for group and multi- family camping situations.
Campgrounds	"Squatter" camping by locals; overzealous gate attendants.	• provide strict and fair enforcements of regulations.
Campgrounds	People visiting campers (and their vehicle) may be in-	• provide separate areas for extra parking.
	creasing the potential for or causing overcrowding and overuse.	 limit the number of visitor passes during any time period; restrictions should be placed on length of stay, time of departure, number of visitors and visiting vehicles.
	•	• issue a special pass, valid for a specified duration for those persons looking for a site on which to set up camp.




Figure 1 85

Area/Subject	Problem/Situation	Solutions/Techniques
Long Point	Overcrowding and overuse is aggravated because of inadequate parking. Cars park on the grass and beach.	 provide more parking spaces and traffic control devices.
Water surface	Some user conflicts occur on the lake surface between sailboats and power boats, and between boaters and swimmers, and between boat- ers and boat fishermen.	 consider zoning some cove areas for only nonpower and limited power boats. make users aware of their role in assuring an enjoyable recreation experiencemore education and information.
		 provide some improved swimming beach areas with float lines, parking and other support facili- ties.
		 require boaters to stay a certain distance away from the swimming area.

Possible

APPENDICES

APPENDIX A: KEY TERMS

- 1. Activity area The specific area where an individual primary activity occurs (e.g., a campground, the lake, a hiking trail, a picnic area, etc.).
- 2. Capacity, recreational carrying The capability of a recreational resource to provide opportunity for certain types of satisfactory recreation experiences over time without significant degradation of the resource. Inherent in this view of carrying capacity are resource (biophysical) and social (psycho-social) capacities.
- 3. <u>Capacity, resource</u> The level of recreational use of a resource beyond which irreversible biological deterioration takes place or degradation of the physical environment makes the resource no longer suitable or attractive for that recreational use.
- 4. <u>Capacity</u>, <u>social</u> The level of recreational use of a resource or area beyond which the user's expectation of the experience is not realized and he/she does not achieve a reasonable level of satisfaction.
- 5. Carrying capacity guidelines The levels of use and the methods used to obtain and achieve them which are recommended in this report.
- 6. Factors The characteristics and phenomena which influence carrying capacity.
- 7. Indicators The phenomena which can be used to identify or measure the degree of overcrowding or overuse, and which can be used in conjunction with a monitoring system to help predict when problems of overuse and overcrowding will occur if preventive measures are not taken.
- 8. Management/site survey The initial survey conducted at the study project areas where resource managers, rangers, and maintenance personnel were interviewed and a reconnaissance was made of "overused," "overcrowded," "underused," and "well-balanced" recreation areas. (See Appendix B)
- 9. Mean The measure of central value defined as the sum of all observations divided by the number of observations.
- 10. Median The measure of central value defined as the point on the scale of observations which is the middle observation (if there is an odd number of cases) or which is the mean of the two central observations (if there is an even number of cases).
- 11. Mode The measure of central value defined as the observation with the largest frequency.
- 12. Monitoring The periodic assessment of the impact that use levels have on the social capacity or resource capacity of an area.
- 13. Overcrowding A condition where the user does not achieve a satisfactory recreational experience because of too many people, inadequate distances between sites, etc.

- 14. Overuse A condition where (during the course of a season/year) degradation of the physical environment makes the resource no longer suitable or attractive for recreational use.
- 15. Planning range The range of spacing distances for an activity which satisfies the spacing preferences of the majority of recreators participating in that activity, which at the same time accounts for other considerations (e.g., cost, safety, equity, etc.).
- 16. <u>Preference distribution</u> The set of preference groupings for an activity which can be modified to develop the social carrying capacity of an area.
- 17. Preference groupings The range of spacing distances for an activity which satisfies the similar spacing preferences of a group of recreators participating in that activity.
- 18. Primary activity The major recreation activity which brought the visitor to the recreation area.
- 19. Project area The land and water area of the total Corps of Engineers Project.
- 20. Project management The project area staff, district personnel, and other people involved with project area management.
- 21. Recreation area Corps-managed areas specifically identified for recreational use within the total Project Boundary; usually named.
- 22. Recreation day A standard unit of use consisting of a visit by one individual to a recreation development or area for recreation purposes during any reasonable portion or all of a 24-hour period.
- 23. Recreation environment An activity area together with its various recreation settings.
- 24. Recreation resource The land and/or water areas, with associated facilities, which provide a base for outdoor recreation activities.
- 25. Recreation setting The physical, development/control, activity/use relationship components of an activity area; taken as a whole, the various settings comprise a particular "recreation environment" for each activity area.
- 26. Recreation unit A campsite, picnic table, boat, off-road vehicle, user group, or other unit which when spaced together with other units represents a use level or density.
- 27. Representative recreation setting The most typical recreation setting for a particular activity.
- 28. Secondary activities Incidental activities; activities which are supplemental to the primary activity.
- 29. Study activity area An activity area at which the management/ site survey and the user survey was conducted.

- 30. Study project area One of the 11 project areas at which the management/site survey and the user survey were conducted. These project areas are: Barkley Lock and Dam, Benbrook Lake, Hartwell Lake, McNary Lock and Dam, Milford Lake, New Hogan Lake, Lake Ouachita, Lake Shelbyville, Shenango River Lake, Somerville Lake, and Surry Mountain Lake.
- 31. <u>Title 36</u> Part 327, Chapter III, of Title 36 of the Code of Federal Regulations which provides rules and regulations governing the public use of water resource development projects administered by the Army Corps of Engineers.
- 32. Underuse A condition where use levels are significantly less than their potential service level.
- 33. <u>User survey</u> The survey that provided user preference information used in developing social capacity guidelines; information was obtained from users at the study project areas by means of a questionnaire (see Appendix 3).
- 34. Well-balanced use A condition which exhibits just the right amount of use to satisfy users and protect the resource.

APPENDIX B: EXAMPLE SURVEY FORMS

This Appendix includes on the following pages examples of the survey forms that were used during the Management/Site Survey and the User Survey.

MANAGEREN [/SI]E SUKVEY
PICNICKING QUESTIONNAIRE
(Resource Manager, Head Ranger, Maintenance Foreman)

	Title	Date
Project Area Name	Respondent Name	Interviewer

1. PICNICKING USE AMMA INPONMATION (selected areas)

Recreation			ACTES	=		List
Area/Use Area Names	Support Facilities	Pee Charged	Total Use Area	Activity Area Only	Total Picnic Sites	Primary Activities Adjacent to Area

Where

OVERUSED

UNDERUSED

WELL-BALANCED

2. VISITOR CHARACTERISTICS RELATED TO OVERCROWDING/OVERUSE

Typical Length of Stay # of picnicking groups on typical recreation season weekend day (same as in #1) Recreation Area/Use Area Names

OVERCROWDED

Typical Group Size

Typical Ages

Origin of visitors! travel to use area Z U Z S Z R us-

Frequency of visita per year

Average

Approximete # of miles

OVERUSED

UNDERUSED

WELL-BALANCED

NOTES: 10 = Urban location (city), S = Suburban location, R = Rural

41 'y 1

Pichicking

3. CAUSES & EFFECTS OF OVERCROUDING/OVERUSE

Use Area Names (same as in #1 6 #2)

OVERCROWDED

Actual Complaints (list in order of frequency)

Observed Surmised

Effects Observed Surmised

OVERUSED

UNDERUSED

B4

WELL-BALANCED

2	
ē	i
	2
-	•
t	•
•	c
-	i
- 2	ì
	3
-	2
·	7
	ú
7	,
Ξ	7
	•
	н
u	7
- 5	j
-	7
	ı
Ψ	ч
-	۰
c	3
	_
6	۱
- C	2
ú	ď
Ē	•
- 2	2
7	4
	ı
•	ı
- 6	ı
	=
•	4
٠,	ď
٠	_
č	3
`	•

when highest degradation is reached	Approx.			
_	. i			date
When signs of degradation first occur	Approx.			
Whe of de			Approx.	date
	Approximate	Dates of	Recreation season	(
	ential	Beyond	off-season	restoration
Off-season	estoration potentia		Requires	treatment
			Recovers	naturally
	Use areas which	experience	overuse	(from #1)

Comments

Ÿ	Z	INDICATORS (SIGNS) OF OVERCROUDING
		Assign relative importance using a numerical
		Indicators 1 (least) to 10 (most)
	0	Increase in the # of complaints
	0	Arguments/conflicts between picnickers
	0	Shorter stays
	•	Pewer returnees
	۰	Increase in crime
	o	Increase in noise
R	0	Pienicking, in non-picnic areas
6	0	Crowded support facilities
	•	Increase in litter
	0	Increase in resource and facility obstruction
	•	Occurrence of displacement/succession (changes in visitor characteristics)
	•	Increase in number of accidents involving vehicles

o Increase in use levels --

(Please list others below)

SE/DECRADATION
OVERU:
OF
INDICATORS
į,

Assign relative importance using a numerical rating on a scale of l(least) to 10 (most)

Comments

away
wearing
COVET
Ground
0

Indicators

Damaged trees and/or undergrowth.

Absence/change in wildlife _

o Increased erosion/sedimentation __

Little deadfall _ 0

Compacted soils __ 0

Increased litter/trash __ o

Trees cut down __ 0

0

o Need for replacement of support facilities before normal life period

o Rodent infestation ___

(Please list others below)

B 7

Increased runoff_

4	r	•	
7	١.	ņ	
•	1		
•	ł		
•			
	1		
,	1		

7. FACTORS AFFECTING RESOURCE CARRYING CAPACITY

Assign relative importance 1 (least) to 10 (most) using a numerical rating on a scale of

Coursents

type
vegetation
oţ
Resiliency
0

Pactors

Resiliency of wildlife -Resiliency of soils -

Degree of normal maintenance applied -

Degree of off-season restoration applied

Site drainage -

Climate/micro-climate -Slope/topography -

Group size -

Slope orientation --Tree cover -

Level of development (e.g. paved roads/paths) --**ه** پدر

(Please list others below)

FACTORS APPECTING SOCIAL CARRYING CAPACITY ဆ

Assign relative importance using a numerical rating on a scale of 1 (least) to 10 (most)

Comments

0

(Please list other factors)

Configuration of area --?:gree of maintenance -

9. PRESENT/PAST CAPACITY MANAGEMENT

tise areas where


			Present	S
			Past	S
capacity	nanagement	techniques were,	or are now,	applied (Name)


Describe level of effective-	ness (pros/cons regarding visitor	satisfaction and
---------------------------------	--------------------------------------	------------------

List capacity
management
techniques(s)
used

Assessment of managemen feasibility (pros/cons why the technique oul or could not be implemented)

4] 0





10. POSSIBLE CARRYING CAPACITIES

Use Area Names

THE MOST OVERCHONDED

AREA:

Present capacity actual or estimated

Best guess as to what the capacity should be

Principa! factors

THE MOST OVERUSED


AREA:

THE MOST UNDERUSED AREA:

B1.

THE MOST WELL-BALANCED AREA:

EXAMPLES FROM BUREAU OF OUTDOOR RECREATION CAPACITY RESEARCH: (Use as a general guide when setimating what the capacity should be)



MANAGEMENT/SITE SURVEY

CAMPING

USE AREA ANALYSIS SHEET (for URDC staff use)

Project Area Name _____ Field Analyst(s) ____ Recreation Area and/or Use Area Weather COMMENTS: Signage Between main highway SITE (camping and use area entrance or name) At use area entrance AWARE-Between main highway and Exposure NESS of use area entrance Site At use area entrance Relationship to Distance to area from main Main highway Highway Road to site from main SITE highway Paved(P) or Unpaved(U) ACCESS Condition (E. G. P) Road Estimated Width Conditions Road within use area Paved(P) or Unpaved(U)
Condition (E, G, P) Estimated Width Presence of informal roads Z of area 0 - 5%
Z of area 6 - 9%
Z of area 10%+ Slopes Existence of unique land form Density of trees SLOPES 2 dense % moderate % sparse % little or mone ETATION Vegetation Density of understory % dense % moderate Z sparne Z little or mone Geologic, cultural, archeologic features On the Use Area Abundance of wildlife

Water feature

		1527 507 1	, , , , , , , , , , , , , , , , , , ,		
		Visiy to wa			
	1 i	(insert)	Severe		
	1	0 - outstanding	obstracted_		
	j i	ti - Outstanding			
	i i		Moderately		
MATTERNAL		G ~ good	obstructed		
NATURAL		_	Midly		
		U - undesirable	7		
	From				
			Unobstructed		
110'N 201 00		Visibility to ot	her natural		
MENITIES	the	areas			
		(insert)	Severely		
	Use Area				
		0 - outstanding	obstructed		
	i i		Moderately		1
		G - good	obstructed		
			Mildly		
i	l i	l	•	1	
		U - undestrable	obstructed		
			Unobstructed		
		Distance to lake			
	Vegetation	Dead or trampled			
MOITIGNCE	6	Evidence of taki			
OF			···		
NATURAL.	Soils	Compacted soils			<u> </u>
FEATURES	Drainage	Wet soils/standi	ng water		
FEATURES	Digine8c	Erosion			
		Electric hook-up	9		
		Water hook-up			
)	Improved pad			
		Picnic tables			
		Cooking grill			
	Facility/	Firewood			
	•	Drinking water (cold)		
	Service	Hot water			
CHITTERS	Distribution				
(.5.:155	DISCLIDATION	Showers			
_		Flush toilets			
6		Vault toilets			
	(S - Site	Pit toilets			
PRVICES		Dumping station			
	D-Distributed	Shelter			
	C - Centra-	First aid statio			
	lized)	Te lephone			
		Lighting (R - ro	ad, P - Parking		
		W - Walkway, C			
		Recreation area			
1		Convenience stor			
Í			~		
ļ	044-4	Excellent			
!	Condition	Good			
		Need attention			ليبيا
	Distance	Minimum		1	
	between	Maximum			
	campsites	Average			
	Distance				
	between	Minimum		- 1	
				——{	
	campsites	Maximum	Į.	•	1
	and				
	the	Averen		1	
I.ANN ING	facilities	Average	l	!	1
ľ	Space for			1	
į	camper	Ample			
DESIGN		Annantuk!-		I	1
171. 17 L CHT	unit	Acceptable		∤	
	maneuver-	Restrictive	Ĭ	ì	i
	ability				
ISPECTS .	Access	Controlled (gate	, attendant)	1	1
i	(botto)	lincentro! led		Ţ	7

B13

Camping

Car Parking	Parking space on each camp-	
<u> </u>	Road parking Nan-mode	
Buffer between	Natural vegetation Planted landscape	
Campaites	None	

RELATIONSHIP OF CAMPING USE AREA TO OTHER USE AREAS

	Estimated	accessibility to other use area		Visibility to other use area			Reasons for accessibility		
Use		direct distance from camping		Mod-	Diffi-	Ob-	Semi-ob-	Unob-	end/or visibility
ane	Activity	use area	Easy	erate	cult	structed	structed	structed	situation

ANALYST'S PERCEPTION OF ACTIVITY AREA'S CARRYING CAPACITY

List the resource/physical factors you feel most affect carrying capacity on this site	
Should resource/physical carrying capacity of this site be: h	igher some
List possible techniques which might on this site.	be used to increase and/or to limit capacity

CORPS OF ENGINEERS USER CAPACITY SURVEY

Date			B Clearance # _	
Time (hour)			_	October 1983
Weather				
Interviewer			creation Area K	ene
Activity	code	AC	tivity Area	Code
throughout the Country. To crowding and overuse of the	hrough these su ese recreation . se and protecti	rveys, we areas. To on of its	will discover he Corps will u recreation are	ected Corps recreation areas how visitors feel about over- se this information to help as. Would you be willing to your visit here?
BASIC VISITOR CHARACTERIST	ics '			
	How large is	destin	s your main ation or a ar on a trip?	4. How long did it take you to travel here from your home(/) or last destination(/)?
17 6 under 🔲	1 0	Main de	tination [Under 15 minutes
18 - 25 📋 26 - 40	1	Stonove	r on trip 🔲	15-30 minutes 30 min 1 hour 1 - 2 hours 2 - 3 hours 3 - 5 hours
26 - 40	5- 8	Stopove	on crap []	1 - 2 hours
56 - 65 T	9-12 ∐ 13+ □			2 - 3 hours 3 - 5 hours
				5+ hours
VISITOR PARTICIPATION				
	6		times have	
5. How many times did you participate in this		this ac	ticipated in tivity at	7. Now long are you staying
activity anywhere last	year?	this La	te?	on this visit?
(if "0", so to Question			b) So far this	
1 - 5		0	1- 2	5 - 8 hours 1 day(overnight)
6 - 10		- 4 🖯	÷ ;	2 days
11 - 20 🔲 21 - 30 🗎	_	- 7 📙 -10 🗍	5- 7 ∐ 8-10 □	3 days
31+	_	-19	11-19 🗍	5 - 7 daya 🔲
_	20-	+ 🗆	20+	8 or more days
8. Have you participated in	n this activity	at this	specific location	on <u>anytime</u> before this visit
	•		·	in the physical condition of
	is location or			
Physical cond	ition:		People's	use of the area:
Positive		<u>Or</u>	sitive	
···		_		
□ Marradora				
☐ Negative			eative	
				
			 	
9 fould you say the number	er of people wh	o are now	participating :	in this activity are:
too swny 🗍	too few			t the right number
seny ([]		,00	
WSS No. in 23.59		B15		
February, 1979				

		you and other	· ·		
	too lar (to 10c) just right (
	(Actual or estimated distance to be rec			_	
ь)	If other people are too close, how far	away would you	like them to	bef [] Not A	ppi i cab
	just a little [] twice as far [] farther	three times [more than		
c)	What is the closest distance you would What distance would you like them to be	accept?			
	Which of the following reasons are maki			this locatio	n
	pleasant or unpleasant?				
		Plea	Un- <u>pant pleasant</u>	Not Important	Does N Appl
ENERA	l reasons				
i. Ch	aracteristics and behavior of other peop	le	1		
2. D1	stance from other people	 [ĪĪ	<u></u> -	□ -
i. Nu	mber of people in other visitor groups. mber and type of other activities occurr	ing here	₹H.	: H	: H:
. Fe	mber and type of other activities occurres charged		<u> </u>	₫	· • 5
. Sc . No	enic views	 [₹		— P:
. Ac	cidents or near accidents forcement of rules/regulations	<u> </u>	J B-	🗖	B
). En	forcement of rules/regulations	[]····	· · · 📙 · · .	: · · P :
. Th	r parking facilities		Ⅎ ╌╌ ╏╌	H	H:
. Va	ndalism		ॊ───── □ ~	[]	— ∩∙
mers					
1. V1 5. Am 6. Co 7. Ne 6. St 9. Ma 9. Co . Co	ees/natural landscape	c.)			
TER-S	ASED REASONS				
. Wa	ter quality	[<u> </u>	· · · · · · · · ·	· • 📮
. Ca	ter quality	vity	┥ ╴╴ .	H	二县
. Wa	iting time to launch hoat	 [¬	ŭ	- 5
. Pe	iting time to retrieve boat ople in areas they shouldn't be	[┑▃▃▃▔		I I
hers		[0
		[]	🗅	· · · 🗅
b)	Will any of the above reasons prevent y No Yes	ou from coming	here again?		
	If yes, which reasons (selected from re	esons checked	"unpleasant" (bove)?	
	•				

12. If recreation areas have too many people for each to enjoy the activity or if areas become damaged by too much use, there are some solutions for reducing that overcrowding or overuse. Please indicate which of the following possible solutions you would find very acceptable, mildly acceptable, or unacceptable for reducing crowding and/or natural resource destruction in this location. (If this location is not overcrowded or overused, assume that it is for this question.)

POS		•	•	•	Does Not Apply
	LIC AWARENESS/EASE OF ACCESS SOLUTIONS				
2,	Make the area's existence less obvious to the general public	2			-
3.	Provide more and better information on how to use the area .	· · Ö · ·	• • •	••□•	· · 🗖 ·
ACT	IVITY RELATIONSHIPS & USE DENSITY				
4.		_	_	_	_
5.	Reduce the number of different activities occurring in the	_			
6.	Design for greater distance between people	□	•₫••	$\cdots \square \cdots$	· · 🗖 ·
۰.	Change matural surfaces by nardening them to withstand more				
9.	Increase maintenance and restoration to allow more use	-5-	– <u> </u>	— <u> </u>	— <u>D</u> .
0. 1. 2. 3.	Reduce the type and number of facilities and services provid Keep unnecessary vehicles out of areas	<u>-</u> 8-	-:::	8-	-: B:
	ES & REGULATIONS SOLUTIONS				
6.	Impose more rules and regulations		- <u>0</u>		
OTH	ERS				
	AWARENESS/EASE OF ACCESS SOLUTIONS The vehicle access to areas less convenient				
		🗖			

But to

13.	visit.	a) What are your other recreation activities on this visit?	b) Are they within wall tance or driving dis from this location? (use launching locat for boat activities) (1) Walking (2) Drividistance districts	itance itance itance itan c) What is your main recreation activity on
1.	Camping			
2.	Boating	 0		
3.	Waterskiing			
4.	Swimming			
5.	Sunbathing			<u>.</u>
6.	Picnicking			
7.	Shoreline fishing.		<u></u>	· · · · · · · · · · · · · · · · · · ·
8.	Boat fishing			
9.	Hiking			<u> </u>
10.	Horseback riding .		[] [
11.	Off-road vehicle r	iding	🖂 🗆	· · · · · · · · · · · · · ·
12.				
13.				
14.		. —— 🛛 ——		·
15.				<u> .</u>
16.				
	RECREATION EQUIPME	INT RECORD		
	Camping	<u>\$</u>	pet Activities	Off-Road <u>Vehicle Riding</u>
	Tent [my sailer 🔲	Trail bike
	Tent camper	□ 84	miler (cebin)	Motorcycle 📋
	Truck-mounted	C4	noe 🗍	ATV 🗀
	camper	_	w boat	Dune buggy
	Travel trailer	D 20	ower boat	4-wheel drive
	Van (less than 25 hp)	
	Motor home	_	ower boat 📋 25+ hp)	
		n ``	ouseboat or	
		D	ciniser [
			n	
		_		
	COMMENTS.	-		

REPLACEMENT QUESTIONS TO ASK DURING BOAT LAUNCHING INTERVIEWS (Write answers and comments directly on the User Survey Interview Sheet)

10.	a)	Would you say that the time it takes you to launch your boat at this ramp is:
		too long long, but tolerable just right
		(Approximately how long does it take to launch your boat at this ramp? Actual or estimated time to be recorded by interviewer)
	ь)	How long would you prefer it to take:
		just a little
	c)	What could be done to expedite boat launching at this ramp:

APPENDIX C: PROJECT AREA DESCRIPTION

4. 24

<u>Hartwell</u>

Location

Hartwell Lake (Savannah District) is located on the upper reaches of the Savannah River in Georgia and South Carolina. It extends in two main branches up the Tugaloo and Seneca Rivers. The damsite is located approximately 15 miles southwest of Anderson, South Carolina. Authorization and purpose

The Hartwell Lake Project was authorized by the Flood Control Act of 1950 for the purposes of flood control and hydroelectric power generation.

Project area size and features

The Tugaloo arm of the lake is 49 miles long, while the Seneca arm of the lake is 45 miles long. Total land and water area at the project is over 80,000 acres. At the normal recreational pool elevation of 660 feet msl from May through August, the lake has a surface area of approximately 56,000 acres and a ruggedly indented shoreline of 962 miles. The Corps administers a narrow strip of land (averaging 200 feet in width) around the shoreline.

In addition to the recreational opportunities provided by the lake, Hartwell also provides valuable hydroelectric power. Flood control is another important function of the lake: 293,000 acre-feet of flood-waters can be stored above normal pool capacity.

Corps personnel at the project area include two resource managers, a Chief Ranger, patrolling rangers, park technicians, and office and maintenance personnel.

Topography

The reservoir is situated in the rolling hills of the upper Piedmont Plateau and the lower foothills of the Blue Ridge Mountains. Around the reservoir, the topography is rugged with slopes varying from five percent to over 25 percent. Peninsulas with irregular shorelines form numerous bays, and a number of islands are located in the reservoir.

Climate

Normal temperatures range from the middle 80 degrees F. (with extremes to 100 degrees F.) in summer, to the low 30 degrees F. (with extremes to -10 degrees F.) in the winter. The average annual temperature is 57 degrees F. The average annual precipitation consists of 48 inches of rain and two inches of snow. Prevailing winds are from the south at about seven mph in the summer, and from the west at about eight mph in the winter. Throughout the year, 62 percent of the days are sunny.

Soils and vegetation

Soils in the upper reaches of the project area are moderately deep, loamy and clayey. Runoff is rapid and soil erosion is a problem when areas are cleared. In the lower reaches, soils are deep and welldrained. On moderately steep slopes, the surface layers are severely eroded.

Vegetation consists of cut-over mixed pine and upland hardwood forests; bottomland hardwoods occur along the tributaries leading to the lake.

Fish and wildlife

Sport fishing is a major attraction at the lake, with white and black crappie, bluegill, and largemouth bass the most common sport fish taken. Other species of fish include rainbow and brown trout; channel, white, and flathead catfish; hybrid, striped, white, and redeye bass; redbreasted sunfish; sauger; and walleye.

During migratory periods only small numbers of water fowl utilize the lake. Wildlife management programs for big game species are not practical, because the Corps administers only a narrow land area. However, many wildlife species presently exist at the project. They include: mourning dove, bobwhite quail, swamp and cottontail rabbit, and gray and fox squirrels. Deer, wild turkey, and beavers are increasing in number throughout the Savannah River Basin.

Population areas served and accessibility

The 1970 population of the area within a 100-mile radius of Hartwell Lake was approximately four million persons, including the metropolitan areas of Asheville, North Carolina, Greenville, Spartanburg, and Columbia, South Carolina, and Athens, Atlanta, and Augusta, Georgia.

Primary access to the project area from the major metropolitan areas in Georgia and South Carolina is provided by I-85, which spans the reservoir approximately 15 miles north of the dam. Encircling the reservoir and connecting with I-85 are numerous primary and secondary roads.

Recreation areas

The project area offers many recreational opportunities: camping, picnicking, fishing, boating, hiking, sightseeing, and interpretive programs. Within the project area, the Corps operates 70 recreational areas which occupy over 3000 acres. These recreation areas range in size from one acre to 369 acres. Twenty of the areas provide for tent and trailer camping. All other recreation areas are designated for day use only. Facilities offered at the Corps recreation areas include camping sites for tents and trailers, running water, picnic tables, stoves, boat launching ramps, comfort stations, swimming areas, and parking lots. In addition to the areas operated by the Corps, four concessions and 16 recreation areas are leased from the Corps.

Visitation

The visitation at Hartwell Lake is one of the highest among all Corps lakes in the nation. Visitor attendance in 1978 reached 11,420,500. Although the recreation season is year round, June was the month of highest visitation in 1978, with 1,911,900 recreation days.

In accordance with letter from DAEN-RDC, DAEN-ASI dated 22 July 1977, Subject: Facsimile Catalog Cards for Laboratory Technical Publications, a facsimile catalog card in Library of Congress MARC format is reproduced below

Urban Research & Development Corporation.

Recreation carrying capacity facts and considerations;
Report 3: Hartwell Lake Project Area / by Urban Research and
Development Corporation, Bethlehem, Pa. Vicksburg, Miss.:
U. S. Waterways Experiment Station; Springfield, Va.: available from National Technical Information Service, 1980.
iv, 87, [25] p.: ill.; 27 cm. (Miscellaneous paper - U. S.
Army Engineer Waterways Experiment Station; R-80-1, Report 3)
Prepared for Office, Chief of Engineers, U. S. Army, Washington, D. C., under Contract No. DACW39-78-C-0096.
Project map of Hartwell Lake in pocket at end of report.

Hartwell Lake Project. 2. Carrying capacity. 3. Monitoring.
 Overcrowding. 5. Recreation. 6. Recreation resource planning. 7. Recreational areas. 8. Recreational facilities.
 Utilization. I. United States. Army. Corps of Engineers.
 Series: United States. Waterways Experiment Station,
 Vicksburg, Miss. Miscellaneous paper; R-80-1, Report 3.
 TA7.W34m no.R-80-1 Report 3

Hartwell Lake, Georgia

CORPS OF ENGINEERS RECREATION AREAS		3		Λ	8					
ASBURY	0	0	•		0			0		0
CRESCENT			•			L				
HARTWELL LAKE	0				•					0
LONG POINT	•	0		<u> </u>	0			•	•	0
MILLTOWN	0	0	•							0
OCONEE POINT		0	•						•	•
OUTLET					•		1			
SINGING PINES	0	0			•	Γ		•	0	0
TWELVE MILE	•	•			•			•	•	0
TWIN LAKES	0	0	0		•			0		•
WATSADLERS	0	0	•		0					0

- O denotes activity offered in recreation area
- denotes interviews conducted in activity area

